



US00D803366S

(12) **United States Design Patent** (10) **Patent No.:** **US D803,366 S**
Deusing (45) **Date of Patent:** **** Nov. 21, 2017**

(54) **COOLING DEVICE**

(74) *Attorney, Agent, or Firm* — Polsinelli PC

(71) Applicant: **Rittal GmbH & Co. KG**, Herborn (DE)

(57) **CLAIM**

The ornamental design for a cooling device, as shown and described.

(72) Inventor: **Marco Deusing**, Herborn (DE)

DESCRIPTION

(73) Assignee: **Rittal GmbH & Co. KG** (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/542,319**

(22) Filed: **Oct. 13, 2015**

(30) **Foreign Application Priority Data**

Apr. 13, 2015 (EM) 2680322-0001-0004

(51) **LOC (10) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/351**

(58) **Field of Classification Search**

USPC D23/333, 335, 341, 342, 351, 353, 354,
D23/355, 356, 359, 364, 365, 370, 385,
D23/386, 388, 393

CPC F24F 1/00; F24F 1/0007; F24F 1/02; F24F
1/08; F24F 1/42; F24F 1/56; F24F 1/60;
F24F 3/044; F24F 3/048; F24F 3/16;
F24F 7/00; F24F 7/04; F24F 12/001;
F24F 12/006

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,209 S * 1/1992 Fukumoto D23/351
D331,458 S * 12/1992 Saito D23/351
D374,920 S * 10/1996 Muller D23/351
D488,480 S * 4/2004 Knetsch D14/445

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Natasha Vujcic

FIG. 1 is a perspective view of a first embodiment of the cooling device;

FIG. 2 is a front view of the first embodiment of the cooling device;

FIG. 3 is a left side view of the first embodiment of the cooling device;

FIG. 4 is a right side view of the first embodiment of the cooling device;

FIG. 5 is a rear view of the first embodiment of the cooling device;

FIG. 6 is a top view of the first embodiment of the cooling device;

FIG. 7 is a bottom view of the first embodiment of the cooling device;

FIG. 8 is a perspective view of a second embodiment of the cooling device;

FIG. 9 is a front view of the second embodiment of the cooling device;

FIG. 10 is a left side view of the second embodiment of the cooling device;

FIG. 11 is a right side view of the second embodiment of the cooling device;


FIG. 12 is a rear view of the second embodiment of the cooling device;

FIG. 13 is a top view of the second embodiment of the cooling device; and,

FIG. 14 is a bottom view of the second embodiment of the cooling device.

The broken lines showing in the figures are included for the purpose of illustrating portions of the cooling device that form no part of the claimed design. The dash-dot lines showing in the figures are included for defining the bounds of the claimed design that form no part thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D492,319	S	*	6/2004	Knetsch	D14/445
D492,320	S	*	6/2004	Knetsch	D14/445
D497,421	S	*	10/2004	Knetsch	D23/353
D678,995	S	*	3/2013	Hoshino	D23/388
D683,838	S	*	6/2013	Katou	D23/354
D739,928	S	*	9/2015	Raisanen	D23/354
D778,424	S	*	2/2017	Jonas	D23/388
D779,050	S	*	2/2017	Jonas	D23/388

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14