



US00D803768S

(12) **United States Design Patent** (10) **Patent No.:** **US D803,768 S**
Leocadio et al. (45) **Date of Patent:** **** Nov. 28, 2017**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Hans-Peter Guevara Leocadio**, North Ridgeville, OH (US); **Lisa Marie Missik-Gaffney**, North Jackson, OH (US); **Kazunori Shinohara**, Copley, OH (US); **Micah Irwin**, Hudson, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/569,613**

(22) Filed: **Jun. 29, 2016**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/588**

(58) **Field of Classification Search**
USPC D12/540, 575, 579, 588, 590, 594, 595,
D12/600, 601, 604
CPC B60C 11/0306; B60C 11/0311; B60C
2011/0337
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,922 S	3/1998	Heinen		D12/147
D400,831 S	11/1998	Blankenship et al.		D12/147
D422,246 S	4/2000	Fierro et al.		D12/146
D470,101 S	2/2003	Heinen		D12/584
D490,045 S	5/2004	Delu et al.		D12/519
D554,055 S *	10/2007	Beauguitte		D12/600
D560,600 S	1/2008	Dixon et al.		D12/588
D586,733 S	2/2009	Shinohara		D12/588
D591,223 S	4/2009	Missik-Gaffney et al.	..	D12/584
D593,936 S	6/2009	Maxwell		D12/587

D607,812 S	1/2010	Dixon et al.		D12/587
D619,958 S	7/2010	Maxwell		D12/586
D627,713 S *	11/2010	Le		D12/600
D630,997 S	1/2011	Wright et al.		D12/516

(Continued)

Primary Examiner — Robert M Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof;



FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D637,144	S	5/2011	Shinohara	D12/588
D649,109	S *	11/2011	Harris	D12/601
D649,110	S *	11/2011	Hutz	D12/601
D668,208	S *	10/2012	Brown	D12/588
D668,601	S *	10/2012	Brown, IV	D12/588
D676,801	S	2/2013	Scheifele	D12/587
D736,697	S	8/2015	Leocadio et al.	D12/601
D739,816	S *	9/2015	Lamb	D12/589
D756,295	S	5/2016	Pingenat et al.	D12/588
D758,957	S	6/2016	Kuriyama	D12/588
D776,606	S *	1/2017	Petr	D12/599
D779,414	S *	2/2017	Zhang	D12/550
D780,678	S *	3/2017	Maxwell	D12/595
D781,781	S *	3/2017	Schimmoeller, Jr.	D12/594

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6