US00D803862S

(12) **United States Design Patent**
Omata

(10) **Patent No.: US D803,862 S**
(45) **Date of Patent: ** Nov. 28, 2017**

(54) **DIGITAL CAMERA DISPLAY SCREEN WITH TRANSITIONAL GRAPHICAL USER INTERFACE**

(71) Applicant: **FUJIFILM Corporation**, Tokyo (JP)

(72) Inventor: **Takeharu Omata**, Saitama (JP)

(73) Assignee: **FUJIFILM Corporation**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/571,106**

(22) Filed: **Jul. 14, 2016**

(30) **Foreign Application Priority Data**

Jan. 15, 2016 (JP) 2016-000687
Jan. 15, 2016 (JP) 2016-000688
Jan. 15, 2016 (JP) 2016-000689

(51) **LOC (10) Cl.** **14-04**
(52) **U.S. Cl.**
USPC **D14/487**
(58) **Field of Classification Search**
USPC D14/485–495; D20/11; D21/324, 325; D16/238

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D420,994 S * 2/2000 Niijima D14/487
6,210,383 B1 * 4/2001 Want A61M 1/0013 604/318

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1491822 S 3/2014

OTHER PUBLICATIONS

"Workshop: 7 tips for taking better photos in low light", posted at idiotwithcamera.wordpress.com, Jul. 13, 2013, [site visited Jun. 19, 2017]. Available from Internet: https://idiotwithcamera.wordpress.com/2013/07/13/workshop-7-tips-for-taking-better-photos-in-low-light.*

(Continued)

Primary Examiner — Karen E Kearney
Assistant Examiner — John M Otte
(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a digital camera display screen with transitional graphical user interface, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a first embodiment of the first image in a sequence for a digital camera display screen with transitional graphical user interface, viewed from the rear side thereof, showing our new design;
FIG. **2** is a front view thereof.
FIG. **3** is a rear view thereof.
FIG. **4** is a top view thereof.
FIG. **5** is a left side view thereof.
FIG. **6** is an enlarged view thereof, showing the display screen separately for clarity of illustration;
FIG. **7** is a second image thereof; and
FIG. **8** is a perspective view showing the design of FIG. **1** in the context of different environment.
FIG. **9** is a perspective view of a second embodiment of the first image in a sequence for a digital camera display screen with transitional graphical user interface, viewed from the rear side thereof, showing our new design;
FIG. **10** is a front view thereof.
FIG. **11** is a rear view thereof.
FIG. **12** is a top view thereof.
FIG. **13** is a left side view thereof.
FIG. **14** is an enlarged view thereof, showing the display screen separately for clarity of illustration;
FIG. **15** is a second image thereof; and,
FIG. **16** is a perspective view showing the design of FIG. **9** in the context of different environment.

(Continued)





The appearance of the transitional image sequentially transitions between the images shown in FIGS. **6-7** and FIGS. **14-15**. The process or period in which one image transitions to another image forms no part of the claimed design.
The broken line showing of the digital camera and remainder of display show the environment and form no part of the claimed design.

1 Claim, 16 Drawing Sheets

(58) **Field of Classification Search**
CPC G06F 3/04817; G06F 3/0482; G06F 3/04842; G06F 3/04847; G06F 3/1431; G06F 9/4443; G01C 23/00; A62C 27/00; A61M 1/0013
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D589,973	S	*	4/2009	Okada	D14/488
D656,946	S	*	4/2012	Judy	D14/486
D710,374	S	*	8/2014	Meegan	D14/486
D714,809	S	*	10/2014	Talbot	D14/485
D733,181	S	*	6/2015	Manfredo	D14/488
D741,879	S	*	10/2015	Chapman	D14/486
D755,799	S	*	5/2016	Finnis	D14/485
D761,289	S	*	7/2016	Chen	D14/486
D765,096	S	*	8/2016	Yang	D14/485
D773,532	S	*	12/2016	Gauci	D14/486
D782,529	S	*	3/2017	Dzjind	D14/488
D783,680	S	*	4/2017	Gauci	D14/486
D788,117	S	*	5/2017	Omata	D14/485
2002/0175931	A1	*	11/2002	Holtz	G06F 3/1431 715/716
2005/0234622	A1	*	10/2005	Pillar	A62C 27/00 701/41
2005/0262451	A1	*	11/2005	Remignanti	G06F 3/04847 715/833
2010/0211237	A1	*	8/2010	Nichols	G01C 23/00 701/14
2012/0084664	A1	*	4/2012	Torgerson	G06F 9/4443 715/747

OTHER PUBLICATIONS

"Sony RX100M2—How to use exposure compensation", posted at youtube.com, Feb. 19, 2014, [site visited Jun. 19, 2017]. Available from Internet: https://www.youtube.com/watch?v=LbaK-OiodDU.*
"Canon AV-1 Camera—Camera operations: Part V", posted at mir.com.my, Feb. 1, 2001, [site visited Jun. 19, 2017]. Available from Internet: http://www.mir.com.my/rb/photography/companies/canon/fdresources/SLRs/av1/htmls/index4.htm.*
"BeeCam Light Meter", posted at play.google.com, Feb. 11, 2013, [site visited Jun. 19, 2017]. Available from Internet: https://play.google.com/store/apps/details?id=jp.co.fmbee.beecam.lightmeter.*
Japanese Office Action issued in Application No. 2016-000689 dated Jun. 14, 2016.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16