



US00D804012S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,012 S**  
**Mann** (45) **Date of Patent:** **\*\* Nov. 28, 2017**

(54) **EARPLUG**

2015/0047650 A1\* 2/2015 Blanchard ..... H04R 25/652  
128/864

(71) Applicant: **Vibes LLC**, Wayzata, MN (US)

\* cited by examiner

(72) Inventor: **Jackson Robert Mann**, Minneapolis, MN (US)

*Primary Examiner* — Richelle G Shelton  
(74) *Attorney, Agent, or Firm* — Muetting, Raasch & Gebhardt, P.A.

(73) Assignee: **Vibes LLC**, Wayzata, MN (US)

(57) **CLAIM**

(\*\*) Term: **15 Years**

The ornamental design for an earplug, as shown and described.

(21) Appl. No.: **29/544,925**

**DESCRIPTION**

(22) Filed: **Nov. 7, 2015**

(51) **LOC (10) Cl.** ..... **24-04**

(52) **U.S. Cl.**  
USPC ..... **D24/106**

(58) **Field of Classification Search**  
USPC ..... D24/106, 141, 173, 174, 215; D7/591;  
D9/445; D14/223  
CPC ..... A61F 11/08; A61F 11/10; A61F 2011/085  
See application file for complete search history.

FIG. 1 is a perspective view of a first embodiment of an earplug in accordance with the claimed design;  
FIG. 2 is a front side elevation view of the design of FIG. 1, the left, right, and rear side elevation views being a mirror image thereof;  
FIG. 3 is top plan view of the design of FIG. 1;  
FIG. 4 is bottom plan view of the design of FIG. 1;  
FIG. 5 is a perspective view of a second embodiment of the earplug in accordance with the claimed design;  
FIG. 6 is a side elevation view of the design of FIG. 5, the opposite side elevation view being a mirror image;  
FIG. 7 is a top plan view of the design of FIG. 5; and,  
FIG. 8 is a bottom plan view of the design of FIG. 5.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

5,113,967	A	5/1992	Killion et al.	
D402,752	S *	12/1998	Falco	D24/106
D419,676	S *	1/2000	Garcia	D24/173
D618,209	S *	6/2010	Andre	D14/205
D618,210	S *	6/2010	Andre	D14/205
D624,901	S *	10/2010	Blanchard	D14/205
D675,194	S *	1/2013	Andre	D14/205
2009/0234182	A1 *	9/2009	Buchholz	A61H 19/44 600/38
2014/0014121	A1 *	1/2014	Endle	A61F 11/08 128/867

The dot-dash broken lines are used to indicate indeterminate length of the element in which the lines are provided and form no part of the claimed design. The remaining broken lines are directed to subject matter that forms no part of the claimed design.

The broken lines in the figures do not form a part of the claimed design. The surface shade lines in the figures show contour, and do not indicate any surface ornamentation, opacity, or translucency.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8