



US00D804178S

(12) **United States Design Patent**  
**Gröning et al.**

(10) **Patent No.:** **US D804,178 S**

(45) **Date of Patent:** **\*\* Dec. 5, 2017**

(54) **FIREPROOF CASE FOR ELECTRONIC DEVICES**

(71) Applicant: **Innovint Aircraft Interior GmbH**,  
Hamburg (DE)

(72) Inventors: **Manfred Gröning**, Hamburg (DE);  
**Lars Henschel**, Hamburg (DE)

(73) Assignee: **Innovint Aircraft Interior GmbH**,  
Hamburg (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/540,688**

(22) Filed: **Sep. 25, 2015**

(30) **Foreign Application Priority Data**

Mar. 27, 2015 (EM) ..... 002670984

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/299**

(58) **Field of Classification Search**  
USPC ..... D3/228, 224, 215, 221, 269, 299, 273,  
D3/276, 289, 293, 290, 301, 303, 318,  
D3/319; D9/702, 703, 705, 707, 709,  
D9/710, 433, 901

CPC ..... A47C 7/62; A47C 1/14  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D323,744 S \* 2/1992 Casale ..... 224/240  
D474,680 S \* 5/2003 Ling ..... D9/705  
D520,238 S \* 5/2006 Montague ..... D3/290  
D522,750 S \* 6/2006 Girod ..... D3/303

D531,407 S \* 11/2006 Montague ..... D3/290  
D593,749 S \* 6/2009 Holzner ..... D3/247  
D625,519 S \* 10/2010 Lown ..... D3/299  
D643,626 S \* 8/2011 Swartz ..... D3/299  
D651,800 S \* 1/2012 Scott ..... D3/303  
D664,195 S \* 7/2012 Rosenthal ..... D19/1  
D666,416 S \* 9/2012 Haywood ..... D3/299  
D679,499 S \* 4/2013 Harris ..... D3/303  
8,570,719 B2 10/2013 Cleveland  
D695,521 S \* 12/2013 Vernall ..... D3/299  
D707,967 S \* 7/2014 Spallone ..... D3/303  
D716,048 S \* 10/2014 Bradfield ..... D3/303  
D728,936 S \* 5/2015 Davis ..... D3/299  
2010/0027920 A1 2/2010 Raidl et al.

**FOREIGN PATENT DOCUMENTS**

EP 2471125 B1 6/2014  
WO WO2014074113 5/2014

\* cited by examiner

*Primary Examiner* — Sandra Snapp

*Assistant Examiner* — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger


(57) **CLAIM**

The ornamental design for a fireproof case for electronic devices, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view thereof;  
FIG. 2 is a back view thereof;  
FIG. 3 is a back view thereof with opened flap;  
FIG. 4 is a front view thereof with turned-back flap;  
FIG. 5 is a perspective view of FIG. 1;  
FIG. 6 is a top perspective view thereof with opened flap showing part of the interior; and,  
FIG. 7 is a front view thereof with opened flap.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7