

US00D804267S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,267 S**
Umbrell (45) **Date of Patent:** **** Dec. 5, 2017**

(54) **BUFFING PAD**
(71) Applicant: **Buff and Shine Manufacturing, Inc.**,
Rancho Dominguez, CA (US)
(72) Inventor: **Richard Umbrell**, Rancho Palos
Verdes, CA (US)
(73) Assignee: **Buff and Shine Mfg., Inc.**, Rancho
Dominguez, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/563,581**
(22) Filed: **May 5, 2016**
(51) **LOC (10) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/70; D32/40**
(58) **Field of Classification Search**
USPC D8/61, 62, 70, 90; D15/124–126, 138,
D15/139; D32/7, 13, 15, 19, 17, 25, 35,
D32/40, 41, 42
CPC A46B 5/00; A46B 5/0025; A46B 5/0062;
A46B 5/02; A46B 17/00; A46B 17/02;
A46B 17/06; A46B 2200/30; A46B
2200/3006; A46B 2200/3013; B24B
37/26; B24D 13/14; B24D 13/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,564,217 A * 8/1951 Taylor B24D 5/12
451/541
2,650,385 A * 9/1953 De Michel A47L 13/24
15/230.1
3,990,124 A * 11/1976 MacKay, Jr. B24D 13/00
15/230.12
4,580,308 A * 4/1986 Ashworth A47L 11/164
15/230.12

4,607,412 A * 8/1986 Ashworth B24D 13/145
15/230
4,617,767 A * 10/1986 Ali B24D 9/085
451/490
5,054,246 A * 10/1991 Phaal B24D 18/00
125/39
5,527,215 A * 6/1996 Rubino B24D 13/18
451/527
5,938,515 A * 8/1999 McLain B24D 3/22
451/528
5,944,586 A * 8/1999 Sevigny B24D 7/04
451/359
6,044,512 A * 4/2000 Hornby B24D 9/085
15/230
6,312,485 B1 * 11/2001 Kaiser B24D 3/22
451/527
6,595,839 B2 * 7/2003 Staver A46B 13/008
451/353
6,837,781 B2 * 1/2005 Hishiki B24B 37/24
156/345.12
6,895,631 B1 * 5/2005 Krause A47L 11/4038
15/230
D510,850 S * 10/2005 Boler, Jr. D8/70
(Continued)

Primary Examiner — Michael A Pratt

Assistant Examiner — Michelle E Wilson

(74) *Attorney, Agent, or Firm* — Fitzsimmons IP Law


(57) **CLAIM**

The ornamental design for a buffing pad, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a buffing pad in accordance with the invention;
FIG. 2 is a bottom perspective view of the buffing pad;
FIG. 3 is a front view of the buffing pad;
FIG. 4 is a top view of the buffing pad; and,
FIG. 5 is a bottom view of the buffing pad.
The broken lines shown in FIGS. 1-3 and 5 are portions of the article that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D553,932	S	*	10/2007	Boler, Jr.		D8/70
D554,813	S	*	11/2007	Boler, Jr.		D32/25
D580,728	S	*	11/2008	Umbrell		D8/70
D581,236	S	*	11/2008	Umbrell		D8/70
D591,133	S	*	4/2009	Umbrell		D8/70
D669,647	S	*	10/2012	Arnold		D32/25
D684,611	S	*	6/2013	Umbrell		D15/126
D684,739	S	*	6/2013	Arnold		D32/25
D742,196	S	*	11/2015	Dow		D8/90
D759,923	S	*	6/2016	Brown		D32/40
D785,339	S	*	5/2017	Brown		D32/25
2002/0092111	A1	*	7/2002	Krause		B24B 23/022 15/230
2006/0107482	A1	*	5/2006	Krause		B08B 1/04 15/230
2007/0254567	A1	*	11/2007	McLain		B24D 3/26 451/490
2010/0144253	A1	*	6/2010	Umbrell		B24D 13/14 451/360
2012/0064809	A1	*	3/2012	Krause		B24D 13/20 451/526
2017/0014974	A1	*	1/2017	Luna		B24D 13/145

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5