



US00D804279S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,279 S**
Gokcebay et al. (45) **Date of Patent:** **** Dec. 5, 2017**

(54) **ELECTRONIC CABINET LOCK FOR RECESS MOUNTING**

(71) Applicant: **Digilock Asia Ltd.**, Kowloon (HK)

(72) Inventors: **Asil T. Gokcebay**, Petaluma, CA (US);
Kelly Kodama, Walnut Creek, CA (US)

(73) Assignee: **Digilock Asia Ltd.**, Kowloon (HK)

(**) Term: **15 Years**

(21) Appl. No.: **29/570,534**

(22) Filed: **Jul. 8, 2016**

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/331; D8/330**

(58) **Field of Classification Search**
USPC D8/301, 302, 330, 331, 349, 400, 499;
70/57, 57.1, 14, 20, 91, 92, 102, 141,
70/237, 262, 263, 266, 278.1, 279.1, 416,
70/465, 442, 443, 214, 78, 447; 340/5.6,
340/5.61, 5.64, 5.73, 286.01, 542, 547,
340/545.1, 545.7; 292/336.3, 257, 194,
292/195, 198, 164, 165
CPC E05B 49/00; E05B 41/00; E05B 65/00;
E05B 65/52; E05B 51/00; B65D 55/07
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,148,092 A * 4/1979 Martin G07C 9/0069
361/172
- 4,899,562 A * 2/1990 Gartner G07C 9/0069
70/277
- 4,926,664 A * 5/1990 Gartner E05B 47/0012
70/119
- D327,856 S * 7/1992 Loew D10/106.95

- D331,888 S * 12/1992 Lade D10/106.1
- D354,922 S * 1/1995 Gartner D10/106.95
- 5,481,361 A * 1/1996 Yumiki G01B 11/002
356/621
- 5,894,277 A * 4/1999 Keskin E05B 47/00
235/382
- D426,833 S * 6/2000 Vanelli D14/387
- 6,272,562 B1 * 8/2001 Scott G06F 21/32
382/124
- D450,559 S * 11/2001 Yu D8/331
- D580,739 S * 11/2008 Pelletier D8/330

(Continued)

Primary Examiner — Prabhakar G Deshmukh

(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger


(57) **CLAIM**

The ornamental design for an electronic cabinet lock for recess mounting, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front left perspective view of an electronic cabinet lock for recess mounting showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a front elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a front left perspective view of a second embodiment of an electronic cabinet for recess mounting lock; FIG. 9 is a top plan view thereof; FIG. 10 is a rear elevational view thereof; FIG. 11 is a left side elevational view thereof; FIG. 12 is a front elevational view thereof; FIG. 13 is a right side elevational view thereof; and, FIG. 14 is a bottom plan view thereof. The broken lines illustrate unclaimed portions and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,482,907	B2 *	1/2009	Denison	B60R 25/102 340/5.1
8,495,898	B2	7/2013	Gokcebay	
D730,712	S	6/2015	Gokcebay et al.	
D731,286	S	6/2015	Gokcebay et al.	
D731,287	S	6/2015	Gokcebay et al.	
D737,114	S	8/2015	Gokcebay et al.	
9,208,628	B2	12/2015	Gokcebay	
9,222,283	B1	12/2015	Zhang et al.	
9,273,492	B2	3/2016	Gokcebay	
D752,945	S	4/2016	Gokcebay et al.	
D752,947	S	4/2016	Gokcebay et al.	
D752,948	S	4/2016	Gokcebay et al.	
D752,949	S	4/2016	Gokcebay et al.	
D753,463	S	4/2016	Gokcebay et al.	
D762,100	S	7/2016	Gokcebay et al.	
D762,101	S	7/2016	Gokcebay et al.	
D762,103	S	7/2016	Gokcebay et al.	
D764,255	S	8/2016	Gokcebay et al.	
D764,892	S	8/2016	Gokcebay et al.	
D764,893	S	8/2016	Gokcebay et al.	
9,536,359	B1	1/2017	Gokcebay	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14