

US00D804282S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,282 S**  
**Schweiss** (45) **Date of Patent:** **\*\* Dec. 5, 2017**

(54) **PIN LATCH**

(71) Applicant: **Michael L. Schweiss**, Fairfax, MN  
(US)

(72) Inventor: **Michael L. Schweiss**, Fairfax, MN  
(US)

(73) Assignee: **SORREL QUARTERS, LLC**

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/620,269**

(22) Filed: **Sep. 12, 2016**

(51) **LOC (10) Cl.** ..... **08-07**

(52) **U.S. Cl.**  
USPC ..... **D8/339**; D8/331

(58) **Field of Classification Search**  
USPC ..... D8/300, 302, 311, 321, 330, 331, 339,  
D8/249, 343, 382, DIG. 9, DIG. 10;  
70/141, 142, 207, 211, 218, 224, 431,  
70/465, 466, DIG. 12, DIG. 26, DIG. 31,  
70/DIG. 67, DIG. 80; 292/336.3;  
206/320; 220/273.1; D7/533, 642  
CPC . E05B 1/00; E05B 1/0038; E05B 9/00; E05B  
15/00; E05B 17/00; A47J 36/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |        |                 |                         |
|---------------|--------|-----------------|-------------------------|
| 3,024,838 A   | 3/1962 | Egleston et al. |                         |
| 4,021,063 A * | 5/1977 | Porter          | E05C 1/04<br>292/148    |
| 4,026,343 A   | 5/1977 | James           |                         |
| 4,261,409 A   | 4/1981 | Devore          |                         |
| 4,765,093 A   | 8/1988 | Edwards         |                         |
| 5,601,131 A * | 2/1997 | Morris          | E05B 65/0021<br>160/207 |
| 5,868,015 A * | 2/1999 | Eaker           | E05B 67/383<br>292/148  |
| 6,199,617 B1  | 3/2001 | Schweiss        |                         |

6,247,341 B1 \* 6/2001 Prevot ..... E05B 63/0069  
292/DIG. 46

6,477,872 B1 \* 11/2002 Denton, Jr. .... E05B 67/36  
70/100

D498,407 S \* 11/2004 Layton ..... D8/331  
(Continued)

*Primary Examiner* — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Richard John Bartz


(57) **CLAIM**

The ornamental design of a pin latch, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the pin latch of my design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a sectional view taken along line 5-5 of FIG. 2;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a sectional view taken along line 8-8 of FIG. 2;  
FIG. 9 is a sectional view taken along line 9-9 of FIG. 2;  
FIG. 10 is a rear elevational view thereof;  
FIG. 11 is a perspective view of the pin latch of FIG. 1  
showing the pin in its lock position;  
FIG. 12 is a front elevational view of FIG. 11;  
FIG. 13 is a right side elevational view of FIG. 11;  
FIG. 14 is a left side elevational view of FIG. 11;  
FIG. 15 is a sectional view taken along line 15-15 of FIG.  
12;  
FIG. 16 is a top plan view of FIG. 11;  
FIG. 17 is a bottom plan view of FIG. 11;  
FIG. 18 is a sectional view taken along line 18-18 of FIG.  
12;  
FIG. 19 is a sectional view taken along line 19-19 of FIG.  
12; and,  
FIG. 20 is a rear elevational view of FIG. 11.

**1 Claim, 6 Drawing Sheets**



(56)                   **References Cited**

U.S. PATENT DOCUMENTS

|           |      |         |                  |            |
|-----------|------|---------|------------------|------------|
| 6,866,080 | B2   | 3/2005  | Schweiss         |            |
| D524,633  | S *  | 7/2006  | Robert .....     | D8/339     |
| 7,219,711 | B2   | 5/2007  | Keller et al.    |            |
| 8,297,175 | B1 * | 10/2012 | Davies .....     | F41A 3/94  |
|           |      |         |                  | 42/1.06    |
| 8,602,225 | B2 * | 12/2013 | Lin .....        | A47B 88/43 |
|           |      |         |                  | 211/26     |
| D710,183  | S *  | 8/2014  | Huddleston ..... | D8/339     |
| D769,101  | S *  | 10/2016 | Zemel .....      | D8/321     |

\* cited by examiner




FIG.1




FIG.2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG.11




FIG.12





FIG.13




FIG.14




FIG.15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20