



US00D804291S

(12) **United States Design Patent**  
**Fawcett et al.**

(10) **Patent No.:** **US D804,291 S**

(45) **Date of Patent:** **\*\* Dec. 5, 2017**

- (54) **LOOP HOLDER FOR A DATA SYNCHRONIZATION CABLE**
- (71) Applicant: **Fuse Chicken, LLC**, Cuyahoga Falls, OH (US)
- (72) Inventors: **Jonathan Eric Fawcett**, Stow, OH (US); **Aaron Daniel Marshall**, Uniontown, OH (US)
- (73) Assignee: **FUSE CHICKEN, LLC**, Cuyahoga Falls, OH (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/578,936**
- (22) Filed: **Sep. 26, 2016**
- (51) **LOC (10) Cl.** ..... **09-06**
- (52) **U.S. Cl.**  
USPC ..... **D8/356**
- (58) **Field of Classification Search**  
USPC ..... D8/356, 367; 248/75; D13/147, 107  
CPC ..... A61B 7/02; B60L 11/1818  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D394,801 S *	6/1998	Blocher	.....	D8/356
6,428,348 B1 *	8/2002	Bean	.....	B65H 75/4473
				439/501
D525,861 S *	8/2006	Mackey	.....	D8/367
D534,065 S *	12/2006	Andre	.....	D14/205
D569,718 S *	5/2008	Nakamura	.....	D8/394
D648,685 S *	11/2011	Symons	.....	D13/155
D714,728 S *	10/2014	Gentil	.....	D13/147
9,145,948 B2 *	9/2015	Corio	.....	B64F 1/12
D741,701 S *	10/2015	McNeil	.....	D8/356
D752,955 S *	4/2016	Rowan	.....	D8/356
D773,041 S *	11/2016	Lentsch	.....	D24/128

9,527,424 B1 *	12/2016	Sarnowski	.....	B60P 7/0823
D775,937 S *	1/2017	Davis	.....	D8/356
D786,048 S *	5/2017	Grewal	.....	H04R 1/1033
				D8/356
D789,302 S *	6/2017	Hsu	.....	D13/147
D789,358 S *	6/2017	Yang	.....	D14/356
D795,802 S *	8/2017	Inagaki	.....	D13/107
2011/0204715 A1 *	8/2011	Nakamura	.....	B60L 11/1818
				307/10.1
2016/0111692 A1 *	4/2016	Morita	.....	H01M 2/1061
				429/7

\* cited by examiner

Primary Examiner — Cynthia Underwood

(74) Attorney, Agent, or Firm — Christopher C. Dremann, P.C.; Christopher C. Dremann

(57) **CLAIM**

The ornamental design of a loop holder for a data synchronization cable, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an exemplary embodiment of a loop holder according to our design shown with the opposite ends of the data synchronization cable shown extended apart;

FIG. 2 is a perspective view of the loop holder according to our design shown with the opposite ends of the data synchronization cable shown retracted together;

FIG. 3 is a front view of the loop holder of FIG. 2;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a right side view thereof.


FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines represent portions of the structure or environment that forms no part of the claim.

**1 Claim, 6 Drawing Sheets**








FIG. 2




FIG. 3






FIG. 4





**FIG. 5**



**FIG. 6**




FIG. 7




FIG. 8