



US00D804466S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,466 S**
Okuley et al. (45) **Date of Patent:** **** Dec. 5, 2017**

(54) **ELECTRONIC DEVICE**

(56) **References Cited**

(71) Applicant: **Intel Corporation**, Santa Clara, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **James Okuley**, Portland, OR (US);
Markus Wierzoch, Seattle, WA (US);
Tim B. Hulford, Portland, OR (US);
Ben Collette, Seattle, WA (US)

6,067,224 A 5/2000 Nobuchi
6,317,315 B1 * 11/2001 Lee G06F 1/1601
16/254
6,519,139 B2 2/2003 Kambayashi
D488,807 S 4/2004 Ogasawara
D516,552 S 3/2006 Iseki
D591,283 S 4/2009 Luminosu et al.
8,208,245 B2 * 6/2012 Staats G06F 1/162
361/679.02
8,699,215 B2 * 4/2014 Whitt, III G06F 1/1618
345/169
D705,774 S * 5/2014 Hung D14/316
(Continued)

(73) Assignee: **Intel Corporation**, Santa Clara, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/554,617**

(22) Filed: **Feb. 12, 2016**

OTHER PUBLICATIONS

USPTO Restriction Requirement in U.S. Appl. No. 29/473,872 dated Mar. 19, 2015.

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/473,872, filed on Nov. 26, 2013, now Pat. No. Des. 749,561.

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/315**

(58) **Field of Classification Search**
USPC D14/315-327; D18/1, 2, 7, 11;
235/145 A, 145 R; 341/22, 23; 345/104,
345/156, 168, 169, 173; 361/679.08,
361/679.09, 679.11, 679.26, 679.27
CPC G06F 1/16; G06F 1/1616; G06F 1/1626;
G06F 1/1632; G06F 1/1613; G06F
1/1601; G06F 1/1618; G06F 1/162; G06F
1/166; G06F 1/1654; G06F 1/1681; G06F
1/1637; G06F 1/1688; G06F 1/1656;
G06F 1/1679; G06F 1/1683; G06F
1/1667; H01R 35/02; H03M 11/00; G09B
13/04; H03K 17/94; G09G 5/00; F16M
11/10; H05K 5/00; H04M 1/0237
See application file for complete search history.

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Patent Capital Group


(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a side view thereof;
FIG. 5 is an opposite side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines shown in the figures depict environment or structure only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D720,741 S * 1/2015 Leonard D14/315
9,007,761 B2 * 4/2015 Wolff G06F 1/1632
361/679.43
9,141,146 B2 * 9/2015 Ke G06F 1/1679
9,256,256 B2 * 2/2016 Liang G06F 1/1632
2002/0145846 A1 * 10/2002 Helot G06F 1/1683
361/679.27
2004/0246666 A1 * 12/2004 Maskatia G06F 1/1616
361/679.57
2011/0162987 A1 * 7/2011 Bekele G06F 1/1616
206/320
2012/0212900 A1 * 8/2012 Hung G06F 1/1632
361/679.41
2013/0188304 A1 * 7/2013 Lee G06F 1/1667
361/679.12

OTHER PUBLICATIONS

USPTO Ex Parte Quayle Action in U.S. Appl. No. 29/473,872 dated
Jun. 25, 2015.

USPTO Notice of Allowance in U.S. Appl. No. 29/473,872 dated
Sep. 28, 2015.

* cited by examiner




FIG. 1

FIG. 2





FIG. 3






FIG. 4

FIG. 5




FIG. 6




FIG. 7

