

US00D804591S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,591 S**
Kuang (45) **Date of Patent:** **** *Dec. 5, 2017**

(54) **JUMP ROPE**

(71) Applicant: **DONGGUAN KANGDU ELECTRONICS MANUFACTURING CO., LTD.,**
Dongguan (CN)

(72) Inventor: **Hao Kuang,** Dongguan (CN)

(73) Assignee: **DONGGUAN KANGDU ELECTRONICS MANUFACTURING CO., LTD.,**
Dongguan, Guangdong (CN)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/523,517**

(22) Filed: **Apr. 10, 2015**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/672**

(58) **Field of Classification Search**

USPC D21/664, 673, 688, 662, 699, 705, 668,
D21/769, 690, 788, 698, 534, 669, 302,
D21/691, 681, 682, 800, 694, 686, 702,
D21/676, 684, 775, 777, 692, 672;
482/122, 142, 123, 129, 128, 93, 106, 74,
482/121, 130, 71, 72, 95, 96, 68, 66, 41,
482/141, 100, 115, 49, 146, 147, 42, 51,
482/35, 38, 23, 904, 91, 28, 140, 907, 86,
482/83, 87, 90, 131, 902, 61, 65, 17, 52,
482/62, 107, 108, 54, 105, 133, 148, 92,
482/138, 12; 473/432, 445, 441, 197,
473/434, 438, 454, 478, 447, 422, 476;
D12/317, 9, 6, 8, 130, 115, 114;
273/400, 407, 396; D8/303, 499, 107,
D8/14; D11/87, 86, 80, 103, 2, 56, 93,
D11/13; 16/430, 421; D26/49, 37;
D24/107; 74/551.9; 59/82, 80; 24/658,
24/303

CPC A63B 21/0552; A63B 21/00069; A63B
21/4035; A63B 21/0557; A63B 21/0442;
A63B 2208/0204; A63B 21/4043; A63B
23/12; A63B 21/0004

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D299,807	S *	2/1989	Sawa		D22/118
D377,745	S *	2/1997	Laun		D8/107
D478,391	S *	8/2003	Saunders		D26/49
7,334,499	B2 *	2/2008	Lai		B62K 21/26 74/551.9
D607,591	S *	1/2010	Rivera		D26/49
D615,605	S *	5/2010	Frasco		D21/682
D634,376	S *	3/2011	Saffaie		D21/684

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Shimokaji IP

(57) **CLAIM**

The ornamental design for a jump rope, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a jump rope showing my new design;

FIG. 2 is a rear elevational view of FIG. 1;

FIG. 3 is a left side elevational view of FIG. 1;

FIG. 4 is a right side elevational view of FIG. 1;


FIG. 5 is a top plan view of FIG. 1;

FIG. 6 is a bottom plan view of FIG. 1; and,

FIG. 7 is a perspective view of FIG. 1.

The claimed design is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D669,945	S	*	10/2012	Russo		D21/662
D697,782	S	*	1/2014	Lee		D8/107
D698,219	S	*	1/2014	Lee		D8/107
D758,827	S	*	6/2016	Grasselli		D8/315
2008/0156139	A1	*	7/2008	Lai		B62K 21/26
						74/551.9
2014/0121068	A1	*	5/2014	Rogers		A63B 5/20
						482/82
2015/0224355	A1	*	8/2015	Holland		A61H 15/00
						482/82

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7