



US00D804601S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,601 S**  
**McPherson** (45) **Date of Patent:** **\*\* Dec. 5, 2017**

(54) **ARCHERY BOW ROTATABLE MEMBER**  
(71) Applicant: **MCP IP, LLC**, Sparta, WI (US)  
(72) Inventor: **Mathew A. McPherson**, Norwalk, WI (US)  
(73) Assignee: **MCP IP, LLC**, Sparta, WI (US)  
(\*\*) Term: **15 Years**

5,505,185 A 4/1996 Miller  
5,678,529 A 10/1997 Larson  
5,782,229 A 7/1998 Evans et al.  
5,791,323 A 8/1998 Dunlap  
5,890,480 A 4/1999 McPherson  
5,934,265 A 8/1999 Darlington  
5,960,778 A 10/1999 Larson  
6,035,840 A 3/2000 McPherson  
6,082,347 A 7/2000 Darlington  
(Continued)

(21) Appl. No.: **29/559,105**  
(22) Filed: **Mar. 24, 2016**

*Primary Examiner* — Karen S Acker  
*Assistant Examiner* — Steven B Reinholdt, Jr.

(51) **LOC (10) Cl.** ..... **22-01**  
(52) **U.S. Cl.**  
USPC ..... **D22/107**  
(58) **Field of Classification Search**  
USPC ..... D22/107; D21/571, 575  
CPC ..... A41B 5/1403; A41B 5/10; A41B 5/14;  
A41B 5/0031; A41B 5/00; A41B 5/1484;  
F16F 7/108  
See application file for complete search history.

(57) **CLAIM**  
The ornamental design for an archery bow rotatable member, as shown and described.


(56) **References Cited**  
U.S. PATENT DOCUMENTS

**DESCRIPTION**

3,486,495 A 12/1969 Allen  
3,990,425 A 11/1976 Ketchum  
4,078,538 A 3/1978 Shepley  
4,337,749 A 7/1982 Barna  
4,338,910 A 7/1982 Darlington  
4,440,142 A 4/1984 Simonds  
4,461,267 A 7/1984 Simonds et al.  
4,515,142 A 5/1985 Nurney  
4,519,374 A 5/1985 Miller  
4,660,536 A 4/1987 McPherson  
4,774,927 A 10/1988 Larson  
4,926,833 A 5/1990 Darlington  
4,967,721 A 11/1990 Larson  
5,211,155 A 5/1993 Zamojski  
5,368,006 A 11/1994 McPherson  
5,381,777 A 1/1995 Mitchell et al.

FIG. 1 shows a front view of the archery bow rotatable member installed in an archery bow.  
FIG. 2 is an angled front-left view of the archery bow rotatable member.  
FIG. 3 is an angled back-left view of the archery bow rotatable member.  
FIG. 4 is a front view of the archery bow rotatable member.  
FIG. 5 is a back view of the archery bow rotatable member.  
FIG. 6 is a left side view of the archery bow rotatable member.  
FIG. 7 is a right side view of the archery bow rotatable member.  
FIG. 8 is a top view of the archery bow rotatable member; and,  
FIG. 9 is a bottom view of the archery bow rotatable member.  
The broken lines in the Figures show portions of the archery bow rotatable member that form no part of the claimed design. The broken line showing of a bow in FIG. 1 illustrates environment and forms no part of the claim.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,112,732	A	9/2000	Larson
6,247,466	B1	6/2001	McPherson
6,321,736	B1	11/2001	McPherson
6,443,139	B1	9/2002	McPherson
6,516,790	B1	2/2003	Darlington
6,666,202	B1	12/2003	Darlington
6,688,295	B1	2/2004	Miller
6,792,930	B1	9/2004	Kronengold et al.
6,990,970	B1	1/2006	Darlington
6,994,079	B1	2/2006	Darlington
7,047,958	B1	5/2006	Colley
7,143,757	B1	12/2006	Cooper
7,188,615	B2	3/2007	Chang
7,305,979	B1	12/2007	Yehle
7,441,555	B1	10/2008	Larson
7,946,281	B2	5/2011	Miller
8,020,544	B2	9/2011	McPherson et al.
2008/0135032	A1	6/2008	Islas
2009/0000607	A1	1/2009	Miller




FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9