



US00D804677S

(12) **United States Design Patent**
Ramires et al.

(10) **Patent No.:** **US D804,677 S**
(45) **Date of Patent:** **** Dec. 5, 2017**

(54) **SURGICAL DRAPE WITH A RETRACTION MEMBER**

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(72) Inventors: **Elaine C. Ramires**, Campinas (BR);
Jener de Oliveira, Sumare (BR);
Steven B. Heinecke, New Richmond, WI (US); **Fernanda Martins**, Campinas (BR)

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,097**

(22) Filed: **Sep. 30, 2015**

(51) **LOC (10) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/189**

(58) **Field of Classification Search**
USPC D24/189; D6/602

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,736,721 A 2/1956 Dexter
RE24,906 E 12/1960 Ulrich

(Continued)

FOREIGN PATENT DOCUMENTS

DE 4121804 1/1993
EP 0166124 1/1986

(Continued)

OTHER PUBLICATIONS

3M Surgical Drapes Drape Selection Guide, 2002, 68 pages.

(Continued)

Primary Examiner — George D Kirschbaum
Assistant Examiner — Jennifer Watkins

(57) **CLAIM**

The ornamental design for a surgical drape with a retraction member, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment showing the new design for an surgical drape with a retraction member; FIG. 2 is a plan view of a front surface of the embodiment of FIG. 1;

FIG. 3 is a plan view of a back surface of the embodiment of FIG. 1;

FIG. 4 is a plan view of a top edge and bottom edge of the embodiment of FIG. 1;

FIG. 5 is a plan view of a left-side edge and right-side edge of the embodiment of FIG. 1;

FIG. 6 is a perspective view of an embodiment showing the new design for an surgical drape with opposing retraction members;

FIG. 7 is a plan view of a front surface of the embodiment of FIG. 6;

FIG. 8 is a plan view of a back surface of the embodiment of FIG. 6;

FIG. 9 is a plan view of a top edge and bottom edge of the embodiment of FIG. 6;

FIG. 10 is a plan view of a left-side edge and right-side edge of the embodiment of FIG. 6;

FIG. 11 is a perspective view of an embodiment showing the new design for a two-piece surgical drape with a retraction member;

FIG. 12 is a plan view of a front surface of the embodiment of FIG. 11;

FIG. 13 is a plan view of a back surface of the embodiment of FIG. 11;

FIG. 14 is a plan view of a top edge and bottom edge of the embodiment of FIG. 11;

Figure is a plan view of a left-side edge and right-side edge of the embodiment of FIG. 11;

FIG. 16 is a perspective view of an embodiment showing the new design for a two-piece surgical drape with opposing retraction members;

(Continued)





FIG. 17 is a plan view of a front surface of the embodiment of FIG. 16;

FIG. 18 is a plan view of a back surface of the embodiment of FIG. 16;

FIG. 19 is a plan view of a top edge and bottom edge of the embodiment of FIG. 16; and,

FIG. 20 is a plan view of a left-side edge and right-side edge of the embodiment of FIG. 16.

In FIGS. 1, 2, 6, 7, 11, 12, 16, 17, the broken line outside of the claimed surfaces is for the purpose of illustrating portions of the article that form no part of the claim.

1 Claim, 8 Drawing Sheets

(58) **Field of Classification Search**

CPC ... A61B 46/00; A61B 2046/205; A61B 46/30; A61B 2046/236; A61B 46/23; A61B 2046/201; A61B 2046/234

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,389,827	A	6/1968	Abere	
3,645,835	A	2/1972	Hodgson	
4,112,213	A	9/1978	Waldman	
4,253,451	A *	3/1981	Solomon	A61B 46/27 128/855
4,310,509	A	1/1982	Berglund	
4,323,557	A	4/1982	Rosso	
4,471,769	A *	9/1984	Lockhart	A61B 46/30 128/849
4,472,480	A	9/1984	Olson	
4,499,896	A *	2/1985	Heinecke	A61F 13/00063 602/47
4,833,179	A	5/1989	Young	
4,871,812	A	10/1989	Lucast	
RE33,353	E *	9/1990	Heinecke	A61F 13/023 428/131
5,088,483	A	2/1992	Heinecke	
5,127,423	A	7/1992	Draeger	
5,160,315	A	11/1992	Heinecke	
D333,404	S *	2/1993	Thompson	D2/720
5,213,114	A	5/1993	Bailey, Jr.	
5,214,119	A	5/1993	Lehr	
5,738,642	A	4/1998	Heinecke	
5,832,925	A *	11/1998	Rothrum	A61B 46/00 128/849
5,849,325	A	12/1998	Heinecke	
5,908,693	A	6/1999	Delgado	
5,985,395	A *	11/1999	Comstock	A61B 46/00 128/855
6,083,856	A	7/2000	Joseph	
6,105,579	A *	8/2000	Levitt	A61B 46/00 128/849
6,171,985	B1	1/2001	Joseph	
6,198,016	B1	3/2001	Lucast	
6,213,124	B1 *	4/2001	Butterworth	A61B 46/00 128/849

6,345,621	B1 *	2/2002	Chandler	A61B 46/00 128/849
6,441,092	B1	8/2002	Gieselman	
6,461,467	B2	10/2002	Blatchford	
D467,345	S *	12/2002	Gingles	D24/189
6,518,343	B1	2/2003	Lucast	
6,615,836	B1 *	9/2003	Griesbach	A61B 46/23 128/849
6,647,985	B1	11/2003	Prywes	
6,675,805	B1	1/2004	Graether	
6,694,981	B2 *	2/2004	Gingles	A61B 46/00 128/849
7,407,709	B2	8/2008	Zhou	
7,807,268	B2	10/2010	Zhou	
8,464,721	B2	6/2013	Davis	
D688,377	S *	8/2013	Heinecke	D24/189
8,517,936	B1	8/2013	Townsend	
D690,425	S *	9/2013	Heinecke	D24/189
8,826,912	B2 *	9/2014	Bream, Jr.	A61B 19/08 128/849
8,967,150	B2 *	3/2015	Carrez	A61B 19/08 128/853
9,314,378	B2 *	4/2016	Takada	A61F 13/0289
D757,280	S *	5/2016	Ogaki	D24/200
2003/0121522	A1 *	7/2003	Gingles	A61B 46/00 128/853
2004/0003817	A1	1/2004	Annett	
2004/0118410	A1 *	6/2004	Griesbach, III	A61B 46/23 128/852
2005/0115569	A1	6/2005	Davis	
2005/0126577	A1 *	6/2005	Griesbach	A61B 46/00 128/849
2005/0224081	A1	10/2005	Lin	
2006/0243284	A1 *	11/2006	Malmberg	A61B 46/00 128/849
2009/0178685	A1 *	7/2009	Haines	A61B 5/411 128/852
2011/0206923	A1	8/2011	Liu	
2011/0206924	A1	8/2011	Liu	
2011/0212325	A1	9/2011	Determan	
2011/0275903	A1	11/2011	Shelton	
2013/0040073	A1	2/2013	Pett	

FOREIGN PATENT DOCUMENTS

EP	2080494	7/2009
JP	2003-325544	11/2003
JP	2006-218096	8/2006
JP	2011-055990	3/2011
WO	WO 2008-056662	5/2008
WO	WO 2015-014848	2/2015

OTHER PUBLICATIONS

Atchoo, "A Practical Drape For Eye Surgery", Arch Ophthal, Apr. 1966, vol. 75, No. 4, pp. 508-509.

Kohler, "A New Apparatus for Measuring Eyelid Strength", Instruments and Equipment, 1991, vol. 199, No. 1, pp. 53-56.

Norris, "Modified draping technique for topical anaesthesia ophthalmic surgery" Clinical & Experimental Ophthalmology 2011; 39: 274-275.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19



FIG. 20

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D804,677 S
APPLICATION NO. : 29/541097
DATED : December 5, 2017
INVENTOR(S) : Elaine Ramires et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


On the Title Page

Column 2 – (Description)

Line 6, After “a” insert -- single --.

Line 35, Change “Figure” to -- FIG. 15 --.

Signed and Sealed this
Twenty-ninth Day of May, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office