



US00D804694S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,694 S**
Campagna (45) **Date of Patent:** **** Dec. 5, 2017**

- (54) **ELLIPTICAL LIGHT FIXTURE**
- (71) Applicant: **Cary J. Campagna**, Portage, MI (US)
- (72) Inventor: **Cary J. Campagna**, Portage, MI (US)
- (73) Assignee: **COMMAND ELECTRONICS, INC.**,
Schoolcraft, MI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/596,420**
- (22) Filed: **Mar. 8, 2017**

- D673,703 S 1/2013 Davies
- D674,524 S * 1/2013 Davies D26/28
- D678,564 S * 3/2013 Janssen D26/28
- D708,372 S * 7/2014 Frankovich D26/28
- D712,576 S 9/2014 Merovitz et al.
- D716,976 S * 11/2014 Merovitz D26/28
- D735,907 S * 8/2015 Campagna D26/28
- D736,433 S * 8/2015 Kuei-Lai D10/114.1
- D736,434 S * 8/2015 Kuei-Lai D26/28
- D738,548 S * 9/2015 Chen D26/28
- D745,720 S * 12/2015 Chang D26/28

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Flynn, Thiel, Boutell & Tanis, P.C.

Related U.S. Application Data

- (62) Division of application No. 29/534,114, filed on Jul. 27, 2015, now Pat. No. Des. 788,333.
- (51) **LOC (10) Cl.** **26-07**
- (52) **U.S. Cl.**
USPC **D26/28**
- (58) **Field of Classification Search**
USPC D26/28–36; 362/459–468, 475–478,
362/485–487
CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D435,126 S 12/2000 Abry
- D442,304 S * 5/2001 Huang D26/28
- D511,220 S * 11/2005 Lin D26/139
- D518,205 S * 3/2006 Phillips D26/28
- D549,367 S * 8/2007 Hovind D26/28
- D583,490 S * 12/2008 Rogers D26/28
- D592,780 S 5/2009 Calvin et al.
- D673,701 S * 1/2013 Davies D26/28

(57) **CLAIM**

The ornamental designs for an elliptical light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front and bottom isometric view of a first embodiment of an elliptical light fixture embodying my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left view thereof;

FIG. 4 is a right view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a rear view thereof;


FIG. 8 is a rear and bottom isometric view thereof;

FIG. 9 is a front view of a second embodiment of an elliptical light fixture embodying my new design and illustrating an elliptical reflector feature visible through the transparent lens; and,

FIG. 10 is a front and bottom isometric view of FIG. 9.

The left, right, top, bottom, rear, and rear and bottom views of the embodiment of FIGS. 9 and 10 are identical to FIGS. 3-8, respectively.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D747,018 S * 1/2016 Hansen D26/28
D757,965 S * 5/2016 Yeh D26/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 5



FIG. 4




FIG. 3



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10