



US00D804729S

(12) **United States Design Patent**
Bouchard-Fortin et al.

(10) **Patent No.:** **US D804,729 S**

(45) **Date of Patent:** **** Dec. 5, 2017**

(54) **HELMET**

(71) Applicant: **KIMPEX INC.**, Drummondville,
Quebec (CA)

(72) Inventors: **Nicolas Bouchard-Fortin**, Sherbrooke
(CA); **Robert Handfield**, St-Lucien
(CA); **Stephane Dion**, Sainte-Cecile de
Milton (CA)

(73) Assignee: **KIMPEX INC.**, Drummondville (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/566,916**

(22) Filed: **Jun. 3, 2016**

(30) **Foreign Application Priority Data**

Jun. 2, 2016 (CA) 168763

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D29/104**

(58) **Field of Classification Search**

USPC D29/102-107, 122; D24/191, 110.3;
250/516.1; 976/DIG. 336; 2/69, 455;
D2/889, 865, 870, 878, 879

CPC A42B 3/322; A42B 3/222; A42B 3/32;
A42B 3/228; A42B 3/00; A63B 71/10;
A01K 55/00; F41H 1/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D549,883 S * 8/2007 Dion D29/106
D581,099 S * 11/2008 Ahn D29/107
D680,694 S * 4/2013 Hwang D29/107

D684,320 S * 6/2013 Mateu Codina D29/106

* cited by examiner

Primary Examiner — Ruth McInroy

(74) *Attorney, Agent, or Firm* — Robert Brouillette;
Brouillette Legal Inc.

(57) **CLAIM**



The ornamental design for a helmet, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of the helmet;
FIG. 2 is a side elevation view of the helmet;
FIG. 3 is a front elevation view of the helmet;
FIG. 4 is a bottom perspective view of the helmet;
FIG. 5 is a bottom plan view of the helmet;
FIG. 6 is a front elevation view of the helmet having the
openable jaw shield closed;
FIG. 7 is a front elevation view of the helmet having the
openable jaw shield partially opened;
FIG. 8 is a front elevation view of the helmet having the
openable jaw shield partially opened;
FIG. 9 is a front elevation view of the helmet having the
openable jaw shield opened;
FIG. 10 is a front perspective view of the helmet having the
openable jaw shield closed;
FIG. 11 is a front perspective view of the helmet having the
openable jaw shield partially opened;
FIG. 12 is a front perspective view of the helmet having the
openable jaw shield partially opened;
FIG. 13 is a front perspective view of the helmet having the
openable jaw shield opened;
FIG. 14 is a rear elevation view of the helmet; and,
FIG. 15 is a top plan view of the helmet.

The elements and structures in broken lines are only
included for the purpose of showing portions that do not
form part of the design.

1 Claim, 15 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15