



US00D804771S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,771 S**
Jiang et al. (45) **Date of Patent:** **** Dec. 12, 2017**

(54) **GLOVE**

CPC A41D 13/088; A41D 12/08;
A41D 19/01511; A41D 19/0058; A41D
19/0096; A41D 19/01505; A41D 19/015;
A41F 1/06; A61B 19/04; A63B 71/148;
A63B 21/065; A63B 21/438
See application file for complete search history.

(71) Applicants: **Bosch (Shanghai) Smart Life
Technology Ltd.**, Shanghai (CN);
**Bosch Automotive Products (Suzhou)
Co. Ltd.**, Suzhou, Jiangsu (CN)

(72) Inventors: **Xiaohua Jiang**, Jiangsu (CN); **Huini
Huang**, Shanghai (CN); **Xiaorui Ye**,
Shanghai (CN); **Enliang Song**,
Shanghai (CN)

(73) Assignees: **Bosch (Shanghai) Smart Life
Technology Ltd.**, Shanghai (CN);
**Bosch Automotive Products (Suzhou)
Co. Ltd.**, Suzhou, Jiangsu (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/563,065**

(22) Filed: **May 2, 2016**

(30) **Foreign Application Priority Data**

Nov. 3, 2015 (CN) 2015 3 0432490

(51) **LOC (10) Cl.** **02-06**

(52) **U.S. Cl.**
USPC **D2/614**

(58) **Field of Classification Search**

USPC D2/610-623; D3/215, 269, 270, 271.1,
D3/271.4, 271.9; D7/669; D20/33;
D21/807; D24/190, 200, 214; D28/63;
D29/113, 114, 116.1, 116.2, 119.1, 117.2,
D29/118, 119, 120.1, 122, 123; D30/158;
D32/40-43; 2/158, 159, 160,
2/161.1-161.8, 162-170, 16-21, 907,
2/910, 917; 119/611; 223/78-80;
401/6-8; 446/327-328

(56) **References Cited**

U.S. PATENT DOCUMENTS

D667,196	S	*	9/2012	Jones	D2/614
D732,748	S	*	6/2015	Gonsalves	D2/619
9,055,774	B2	*	6/2015	Gambordella	...	A41D 19/01547
D735,968	S	*	8/2015	Furlong	D2/617
9,301,563	B2	*	4/2016	Hardy	A41D 19/0031
D765,944	S	*	9/2016	Houghton	D2/619
D771,901	S	*	11/2016	Nacion	D2/619
D773,744	S	*	12/2016	Furlong	D29/117.2
D774,275	S	*	12/2016	Jaeger	D2/619
D774,277	S	*	12/2016	Jaeger	D2/619

(Continued)

Primary Examiner — Derrick Holland

Assistant Examiner — Yolanda Robinson

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck
LLP


(57) **CLAIM**

The ornamental design for a glove, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a glove showing our new design;
FIG. 2 is a left side elevational view showing the design for the glove of FIG. 1;
FIG. 3 is a right side elevational view showing the design for the glove of FIG. 1;
FIG. 4 is a top plan view showing the design for the glove of FIG. 1;
FIG. 5 is a bottom plan view showing the design for the glove of FIG. 1; and,
FIG. 6 is another top plan view showing the design for the glove of FIG. 1.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D774,723 S * 12/2016 Daniel D2/614
2009/0323316 A1 * 12/2009 Matheney, II A41D 19/0157
362/103
2011/0088138 A1 * 4/2011 Chen A41D 19/01535
2/160
2011/0113527 A1 * 5/2011 Chen A41D 19/0157
2/160
2012/0011633 A1 * 1/2012 Van Hale A41D 19/002
2/20
2013/0184092 A1 * 7/2013 Dalbke A63B 69/0059
473/205
2016/0236064 A1 * 8/2016 Shimazaki A63B 71/146
2016/0366958 A1 * 12/2016 Hochmuth A41D 19/0082

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5

FIG. 4




FIG. 6