



US00D804906S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,906 S**
Diener et al. (45) **Date of Patent:** **** Dec. 12, 2017**

(54) **INSULATED BOTTLE**
(71) Applicants: **Ryan Diener**, Bend, OR (US); **Brian Goodwin**, Bend, OR (US); **Benjamin Hein**, Bend, OR (US)
(72) Inventors: **Ryan Diener**, Bend, OR (US); **Brian Goodwin**, Bend, OR (US); **Benjamin Hein**, Bend, OR (US)
(73) Assignee: **HELEN OF TROY LIMITED**, St. Michael (BB)
(**) Term: **15 Years**
(21) Appl. No.: **29/563,781**
(22) Filed: **May 7, 2016**
(51) **LOC (10) Cl.** **07-01**
(52) **U.S. Cl.**
USPC **D7/510; D7/511; D7/523; D7/532**
(58) **Field of Classification Search**
USPC **D7/507, 510, 511, 523, 532, 533, 536, D7/392.1, 396.2, 608, 300.1; D3/202; D9/500, 501, 502, 503, 504; 215/396, 215/397, 398**
CPC **B65D 47/066; A47G 19/2272; A47G 19/2266; A45F 3/16; A47J 43/27**
See application file for complete search history.

D467,804 S * 12/2002 Restrepo D9/500
D479,133 S * 9/2003 Quintero D9/551
D491,809 S * 6/2004 Silvers D9/500
D546,183 S * 7/2007 Clutter D9/500
D553,914 S * 10/2007 Wahl D7/608
D587,533 S * 3/2009 Carreno D7/608
D594,168 S * 6/2009 Chavez, II D34/10
D601,311 S * 9/2009 DeSeguirant, Jr. D30/160
D608,202 S * 1/2010 Caroen D9/500
D630,474 S * 1/2011 Gilbert D7/608
D632,524 S * 2/2011 Rosbach D7/510
D633,338 S * 3/2011 Rosbach D7/511
D635,857 S * 4/2011 Lauret D9/500
D651,086 S * 12/2011 Gullickson D9/504
D652,682 S * 1/2012 Eyal D7/510
D655,571 S * 3/2012 Tuttle D7/510
D658,446 S * 5/2012 George D7/511
D672,198 S * 12/2012 Soltz D7/507
D674,146 S * 1/2013 Bae D28/76
D682,697 S * 5/2013 Gonzalez Rodriguez D9/500
D684,805 S * 6/2013 Bjerre-Poulsen D7/300.1
D689,332 S * 9/2013 Krasner D30/132
D693,170 S * 11/2013 Rosbach D7/392.1
D695,616 S * 12/2013 Li D9/503
D696,945 S * 1/2014 Newman D9/500
D699,516 S * 2/2014 Kim D7/510
D700,802 S * 3/2014 Miller D7/392.1

(Continued)

Primary Examiner — Marianne N Pandozzi
Assistant Examiner — Jae Liang

(57) **CLAIM**

The ornamental design for an insulated bottle, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of an insulated bottle showing our new design;
FIG. 2 is a side view of the insulated bottle;
FIG. 3 is a top view of the insulated bottle; and,
FIG. 4 is a bottom view of the insulated bottle.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,830,721 A * 4/1958 Adakonis 215/12.2
D310,328 S * 9/1990 Dinand D9/434
D312,775 S * 12/1990 Tacconelli D9/435
D321,628 S * 11/1991 Kobayashi D7/608
D354,915 S * 1/1995 Schneider D9/454
D390,462 S * 2/1998 Mao D9/435
D406,062 S * 2/1999 Brewer D9/520
D407,315 S * 3/1999 Farris D9/503



(56)

References Cited

U.S. PATENT DOCUMENTS

D702,092	S *	4/2014	Mettler	D7/608
D705,063	S *	5/2014	Weiss	D9/500
D711,178	S *	8/2014	Waugh	D3/202
D721,964	S *	2/2015	Rampley	D9/500
D724,385	S *	3/2015	Hurley	D7/511
D725,953	S *	4/2015	Gamelli	D7/300.1
D728,370	S *	5/2015	Claussen	D9/453
D731,856	S *	6/2015	Hill	A47G 19/2266
					D7/532
D743,269	S *	11/2015	Pape	D9/550
D743,741	S *	11/2015	Itzhaki	D7/510
D756,716	S *	5/2016	Hewitt	D7/608
D758,800	S *	6/2016	Hayslett	D7/300.1
9,516,974	B2 *	12/2016	Herling	A47J 31/18
D784,812	S *	4/2017	Miller	D9/435
D787,332	S *	5/2017	Peneda	D9/500
D790,279	S *	6/2017	Izen	D7/509
D790,920	S *	7/2017	Goodwin	D7/510
D791,549	S *	7/2017	Goodwin	D7/608
D796,901	S *	9/2017	Pisarevsky	D7/510
2011/0271978	A1 *	11/2011	Bae	A45D 33/006
					132/293
2013/0153591	A1 *	6/2013	Grimes	A01K 91/02
					220/735
2016/0270602	A1 *	9/2016	Casey	A47J 43/27

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4