



US00D804915S

(12) **United States Design Patent**  
**Suess et al.**

(10) **Patent No.:** **US D804,915 S**  
(45) **Date of Patent:** **\*\* Dec. 12, 2017**

(54) **BEVERAGE THERMAL INSULATOR WITH AUDIO SPEAKER**

(71) Applicants: **Christon G. Suess**, Paramus, NJ (US);  
**Jillian Walbroel**, Woodland Park, NJ (US); **Jeffrey Steel**, Hoboken, NJ (US)

(72) Inventors: **Christon G. Suess**, Paramus, NJ (US);  
**Jillian Walbroel**, Woodland Park, NJ (US); **Jeffrey Steel**, Hoboken, NJ (US)

(73) Assignee: **Cotapaxi Custom Design and Manufacturing LLC**, Carlstadt, NJ (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/577,475**

(22) Filed: **Sep. 13, 2016**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/608**

(58) **Field of Classification Search**  
USPC ..... D7/603–608, 619.1–625; D14/204, 207, D14/216  
CPC ... F17C 13/001; A45C 11/20; A47G 23/0216; A47G 23/0258; B65D 81/3886; B65D 81/3823; B65D 81/3876; B65D 81/3883; B65D 81/3879; B65D 81/3881; F25D 3/08; F25D 3/14; F25D 2331/804  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,163,374 A \* 8/1979 Moore ..... B65D 81/3883  
220/592.01  
4,183,226 A \* 1/1980 Moore ..... B65D 81/3883  
220/903

4,344,303 A \* 8/1982 Kelly, Jr. .... A61F 7/10  
215/12.1  
4,540,611 A \* 9/1985 Henderson ..... B65D 23/08  
150/901  
4,798,063 A \* 1/1989 Rimmer ..... B65D 81/3886  
62/371  
5,467,891 A \* 11/1995 Perry ..... B65D 81/3886  
220/62.11  
8,251,247 B1 \* 8/2012 Breckner ..... A47G 23/0266  
220/592.16

\* cited by examiner

*Primary Examiner* — Terry A Wallace

(74) *Attorney, Agent, or Firm* — Steven E. Shapiro


(57) **CLAIM**

The ornamental design for a beverage thermal insulator with audio speaker, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a beverage thermal insulator with audio speaker;  
FIG. 2 is a front view of the beverage thermal insulator with audio speaker;  
FIG. 3 is a rear view of the beverage thermal insulator with audio speaker;  
FIG. 4 is a right side view of the beverage thermal insulator with audio speaker;  
FIG. 5 is a left side view of the beverage thermal insulator with audio speaker;  
FIG. 6 is a top view of the beverage thermal insulator with audio speaker; and,  
FIG. 7 is a bottom view of the beverage thermal insulator with audio speaker.  
The broken lines represent portions of the beverage thermal insulator with audio speaker that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7