

US00D804925S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,925 S**
Umbrell (45) **Date of Patent:** **** Dec. 12, 2017**

(54) **BUFFING PAD**
(71) Applicant: **Buff and Shine Manufacturing, Inc.,**
Rancho Dominguez, CA (US)
(72) Inventor: **Richard Umbrell,** Rancho Palos
Verdes, CA (US)
(73) Assignee: **Buff and Shine Manufacturing, Inc.,**
Rancho Dominguez, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/574,216**
(22) Filed: **Aug. 12, 2016**
(51) **LOC (10) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/70; D32/40**
(58) **Field of Classification Search**
USPC D8/61, 62, 70, 90; D15/124–126, 138,
D15/139; D32/7, 13, 15, 19, 17, 25, 35,
D32/40, 41, 42
CPC A46B 5/00; A46B 5/0025; A46B 5/0062;
A46B 5/02; A46B 17/00; A46B 17/02;
A46B 17/06; A46B 2200/30; A46B
2200/3006; A46B 2200/3013; B24B
37/26; B24D 13/14; B24D 13/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,650,385 A * 9/1953 De Michel A47L 13/24
15/230.1
3,990,124 A * 11/1976 MacKay, Jr. B24D 13/00
15/230.12
4,580,308 A * 4/1986 Ashworth A47L 11/164
15/230.12
4,607,412 A * 8/1986 Ashworth B24D 13/145
15/230

5,527,215 A * 6/1996 Rubino B24D 13/18
451/527
5,938,515 A * 8/1999 McLain B24D 3/22
451/528
6,044,512 A * 4/2000 Hornby B24D 9/085
15/230
6,312,485 B1 * 11/2001 Kaiser B24D 3/22
451/527
6,895,631 B1 * 5/2005 Krause A47L 11/4038
15/230
D553,932 S * 10/2007 Boler, Jr. D8/70
D554,813 S * 11/2007 Boler, Jr. D32/25
D580,728 S * 11/2008 Umbrell D8/70
D581,236 S * 11/2008 Umbrell D8/70
D591,133 S * 4/2009 Umbrell D8/70
D669,647 S * 10/2012 Arnold D32/25
D684,611 S * 6/2013 Umbrell D15/126
D684,739 S * 6/2013 Arnold D32/25
D759,923 S * 6/2016 Brown D32/40

(Continued)

Primary Examiner — Michael A. Pratt

Assistant Examiner — Michelle E Wilson

(74) *Attorney, Agent, or Firm* — Francisco A.
Rubio-Campos; Apogee Law Group P.C.


(57) **CLAIM**

I claim the ornamental design for a buffing pad, as shown
and described.

DESCRIPTION

FIG. 1 is a top perspective view of a buffing pad showing my
new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof; and,
FIG. 7 is a left side elevation view thereof, the right side
being a mirror image.
The broken lines shown in FIGS. 1-3 and 5-7 are portions of
the article that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D785,339	S *	5/2017	Brown		D32/25
2002/0092111	A1 *	7/2002	Krause		B24B 23/022
					15/230
2006/0107482	A1 *	5/2006	Krause		B08B 1/04
					15/230
2007/0254567	A1 *	11/2007	McLain		B24D 3/26
					451/490
2010/0144253	A1 *	6/2010	Umbrell		B24D 13/14
					451/360
2012/0064809	A1 *	3/2012	Krause		B24D 13/20
					451/526
2017/0014974	A1 *	1/2017	Luna		B24D 13/145

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7