

US00D804934S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,934 S**
Vrame (45) **Date of Patent:** **** Dec. 12, 2017**

(54) **UNITARY SUPPORT BRACKET**

(71) Applicant: **Peter A Vrame**, Wood Dale, IL (US)

(72) Inventor: **Peter A Vrame**, Wood Dale, IL (US)

(73) Assignee: **S-P Products, Inc.**, Elk Grove Village, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/529,551**

(22) Filed: **Jun. 8, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/503,595, filed on Sep. 27, 2014, now Pat. No. Des. 731,292.

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/354**

(58) **Field of Classification Search**

USPC D8/349, 354, 366, 356, 373, 376, 377,
D8/380; D12/223; 248/68.1, 56, 65,
248/316.7, 314, 558, 242, 343, 300, 200,
248/906, 309.1, 544, 903, 317; 52/177,
52/181, 733.1-733.3; 174/48, 57, 68.1;
220/3.9

CPC H02G 3/081; H02G 3/381; H02G 3/20;
H02B 1/20; A47H 1/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,528,238 A	11/1948	McDaid
4,773,196 A	9/1988	Yoshida et al.
5,263,676 A	11/1993	Medlin et al.
5,354,952 A	10/1994	Hickey
5,698,820 A	12/1997	Collard
5,883,332 A	3/1999	Collard
5,971,329 A	10/1999	Hickey

6,102,442 A	8/2000	Gretz
D449,218 S	10/2001	Vrame
6,335,488 B1	1/2002	Gretz
D480,948 S	10/2003	Patrizzi et al.
7,038,130 B2	5/2006	Yip, Jr.
D531,010 S	10/2006	Vrame
7,154,040 B1	12/2006	Tompkins
7,472,875 B2	1/2009	Rinderer

(Continued)

OTHER PUBLICATIONS

Conduit & Box Support Plates Cat# CSP2W-WCm, Cat# CSP $\frac{1}{2}$ -WC, Cat# CSP4W-WC, S-P Products, Elk Grove Village, IL, Jun. 10, 2013.

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Patents and Licensing LLC; Daniel W. Juffernbruch

(57) **CLAIM**


The ornamental design for a unitary support bracket, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an ornamental design for a unitary support bracket;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a first side view thereof;
FIG. 5 is a second side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The broken lines shown in the figures, that are immediately adjacent to the shaded areas, and define unshaded regions, represents the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D598,731	S	8/2009	Dinh	
D612,226	S	3/2010	Dinh	
7,699,283	B2	4/2010	Vrame et al.	
D635,099	S	3/2011	Kramer	
8,047,491	B2	11/2011	Gutierrez	
8,403,289	B1	3/2013	Rinderer	
8,424,827	B2	4/2013	Dinh	
D702,104	S	4/2014	Butler	
D731,292	S	6/2015	Vrame	
D756,750	S *	5/2016	Vrame	D8/354
2005/0067546	A1	3/2005	Dinh	
2009/0173865	A1	7/2009	Vrame et al.	
2010/0155105	A1	6/2010	Dinh	
2012/0205500	A1	8/2012	Cox	
2014/0124259	A1	5/2014	Dean	

OTHER PUBLICATIONS

MSDS and Installation Procedures for CSP-4W-WC, S-P Products,
Elk Grove Village, IL, Jan. 2014.
Orbit Box & Hanger Support Cat No. BCHS-10, Orbit Industries,
Inc. Los Angeles, CA, 2014.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7