



US00D804958S

(12) **United States Design Patent**  
**Strubin**

(10) **Patent No.:** **US D804,958 S**

(45) **Date of Patent:** **\*\* Dec. 12, 2017**

(54) **BAG ARRAY**

(71) Applicant: **Practica Ltd.**, Cambridge (CA)

(72) Inventor: **Henry Strubin**, Cambridge (CA)

(73) Assignee: **Practica Ltd.**, Cambridge, Ontario (CA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/587,075**

(22) Filed: **Dec. 9, 2016**

(30) **Foreign Application Priority Data**

Jul. 8, 2016 (CA) ..... 169370

(51) **LOC (10) Cl.** ..... **09-05**

(52) **U.S. Cl.**  
USPC ..... **D9/703**

(58) **Field of Classification Search**

USPC ..... D9/702-714, 414-415, 418-419,  
D9/430-431, 434, 424, 631, 737, 560;  
206/236, 242, 286-287, 260, 271, 273;  
211/85.3; 229/103.2, 87.01, 116.1, 87.05,  
229/87.19, 117.12, 100; 150/100, 107,  
150/112, 118; D27/186-191; D3/273,  
D3/299-301, 232, 276, 295, 303, 226,  
D3/240, 315; 383/108-109, 105-114,  
383/121.1, 33, 200

CPC ..... B65D 31/00; B65D 33/00; B65D 33/001;  
B65D 33/002; B65D 33/04; B65D 33/06;  
B65D 33/08; B65D 33/10

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,021,947 A \* 2/1962 Sylvester ..... B65D 33/001  
156/253  
D288,779 S \* 3/1987 Pilon ..... D9/703

D385,487 S \* 10/1997 Gonthier ..... D9/704  
6,142,302 A \* 11/2000 Requena ..... B65D 33/001  
206/554  
6,171,226 B1 \* 1/2001 DeMatteis ..... B29C 65/004  
493/226  
6,478,156 B1 \* 11/2002 Gebhardt ..... B65D 33/001  
206/554  
6,508,588 B1 \* 1/2003 Meyer ..... B65B 43/14  
206/554  
2004/0252914 A1 \* 12/2004 Hsiang ..... B65D 33/001  
383/9  
2005/0185863 A1 \* 8/2005 Carrillo ..... A45C 13/02  
383/10  
2015/0251815 A1 \* 9/2015 Berger ..... B65D 33/2508  
383/9  
2017/0217643 A1 \* 8/2017 Chang ..... B65D 33/2591

\* cited by examiner

*Primary Examiner* — Abraham Bahta

(57) **CLAIM**


The ornamental design for a bag array, as shown and described.


**DESCRIPTION**

FIG. 1 is an isometric view of an embodiment of the bag array of the invention;  
FIG. 2 is a front view thereof;  
FIG. 3 is a left side view, the right side view being a mirror image thereof; and,  
FIG. 4 is a bottom view, the top view being a mirror image thereof.


The broken lines formed by dashes of even length arranged in groups of five and separated by spaces in FIGS. 1 and 2 represent a cut or separation line, which is part of the design. The broken away portions shown in FIGS. 1-3 indicate that the bag array has no specific length.

**1 Claim, 3 Drawing Sheets**





**FIG. 1**



**FIG. 2**



FIG. 3



FIG. 4