



US00D804970S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,970 S**
Roddy et al. (45) **Date of Patent:** **** Dec. 12, 2017**

(54) **MAGNETIC FENCE PIPE PLUMB LEVEL**

(74) *Attorney, Agent, or Firm* — Jeffrey Roddy

(71) Applicants: **Kenneth J Roddy**, Garland, TX (US);
Jeffrey H Roddy, Richardson, TX (US)

(57) **CLAIM**

The ornamental design for a magnetic fence pipe plumb level, as shown and described.

(72) Inventors: **Kenneth J Roddy**, Garland, TX (US);
Jeffrey H Roddy, Richardson, TX (US)

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/587,320**

FIG. 1 is a side elevation showing a first embodiment of our new design for a magnetic fence pipe plumb level, the opposite side being a mirror image thereof;

(22) Filed: **Dec. 12, 2016**

FIG. 2 is a perspective view thereof;

Related U.S. Application Data

(63) Continuation of application No. 29/550,362, filed on Jan. 3, 2016, now Pat. No. Des. 777,301, which is a continuation-in-part of application No. 29/529,419, filed on Jun. 6, 2015, now Pat. No. Des. 761,396, which is a continuation-in-part of application No.

FIG. 3 is a bottom plan view thereof;

(Continued)

FIG. 4 is a top plan view thereof;

(51) **LOC (10) Cl.** **10-01**

FIG. 5 is an end view thereof showing an inset magnet;

(52) **U.S. Cl.**

FIG. 6 is an end view opposite that shown in (FIG. 5);

USPC **D10/69**

FIG. 7 is a side elevation showing a second embodiment of our new design, the opposite side being a mirror image thereof;

(58) **Field of Classification Search**

USPC D10/69, 74, 82

FIG. 8 is a perspective view thereof;

CPC ... G01C 9/24; G01C 9/26; G01C 9/28; G01C

FIG. 9 is a bottom plan view thereof;

9/30; G01C 9/32; G01C 9/34; G01C 9/36

FIG. 10 is a top plan view thereof;

See application file for complete search history.

FIG. 11 is an end view thereof showing an inset magnet;

(56) **References Cited**

U.S. PATENT DOCUMENTS

385,516 A * 7/1888 Hutton G01C 9/36

FIG. 12 is an end view opposite that shown in (FIG. 11);

33/390

2,408,253 A * 9/1946 Diebold H02G 7/00

FIG. 13 is a side elevation showing a third embodiment of our new design, the opposite side being a mirror image thereof;

138/110

FIG. 14 is a perspective view thereof;

(Continued)

FIG. 15 is a bottom plan view thereof;

Primary Examiner — Darlington Ly

Assistant Examiner — Daniel J Domino

FIG. 16 is a top plan view thereof;

FIG. 17 is an end view thereof showing an inset magnet;

FIG. 18 is an end view opposite that shown in (FIG. 17);

FIG. 19 is a side elevation showing a fourth embodiment of our new design, the opposite side being a mirror image thereof;

FIG. 20 is a perspective view thereof;

FIG. 21 is a bottom plan view thereof;


FIG. 22 is a top plan view thereof;

FIG. 23 is an end view thereof showing an inset magnet;

and,

FIG. 24 is an end view opposite that shown in (FIG. 23);

(Continued)



The broken lines showing portions of the article form no part of the claimed design.

1 Claim, 4 Drawing Sheets

Related U.S. Application Data

29/484,893, filed on Mar. 13, 2014, now Pat. No. Des. 728,751.

(56)

References Cited

U.S. PATENT DOCUMENTS

2,850,045 A * 9/1958 Soehrlen F16L 55/1683
138/92
D189,229 S * 11/1960 Bowne D23/265
3,385,545 A * 5/1968 Patton F16L 3/222
248/228.5
3,826,013 A * 7/1974 Baher G01C 9/24
33/373
3,963,140 A * 6/1976 Harding B65D 41/44
215/254
D242,231 S * 11/1976 Shaffer D10/69
4,139,883 A * 2/1979 Ilzig F16C 11/04
248/278.1
4,244,542 A * 1/1981 Mathews F16L 3/222
138/112
D270,140 S * 8/1983 Berglund D9/438
4,407,472 A * 10/1983 Beck A62C 33/04
24/339
D310,772 S * 9/1990 Johnson D10/69
5,020,572 A * 6/1991 Hunt B23P 6/04
138/97

D332,753 S * 1/1993 Jones D10/69
D372,074 S * 7/1996 Wallace D23/269
5,660,417 A * 8/1997 Reeves F16L 23/18
116/201
D409,293 S * 5/1999 Senninger D23/265
D468,002 S * 12/2002 Steffan D23/249
D579,803 S * 11/2008 Crain D10/69
8,776,328 B2 * 7/2014 Kodi E04C 5/163
24/339
D714,917 S * 10/2014 Miller D23/269
D726,053 S * 4/2015 Yin D10/101
D728,751 S * 5/2015 Roddy D23/262
D729,642 S * 5/2015 Peterson D10/63
D730,208 S * 5/2015 Ben Josef D10/69
D735,063 S * 7/2015 Wojciechowski D10/69
D735,064 S * 7/2015 Wojciechowski D10/69
D740,400 S * 10/2015 Roddy D23/262
D745,382 S * 12/2015 Faria D8/396
D747,275 S * 1/2016 Rodrigue D13/155
D747,276 S * 1/2016 Rodrigue D13/155
D750,760 S * 3/2016 Roddy D23/262
9,315,980 B2 * 4/2016 Stonecipher E03D 11/14
D761,396 S * 7/2016 Roddy D23/262
D763,710 S * 8/2016 Barthold D10/69
D777,301 S * 1/2017 Roddy D23/262
D780,607 S * 3/2017 Hong D10/69
D786,718 S * 5/2017 Burge D10/69
2006/0048418 A1 * 3/2006 Boire G09F 3/205
40/316
2007/0034758 A1 * 2/2007 Bates E04H 12/2276
248/218.4
2012/0111280 A1 * 5/2012 Shin A01K 7/025
119/78
2013/0032130 A1 * 2/2013 Jacques A47J 33/00
126/30
2013/0152291 A1 * 6/2013 Stonecipher E03D 11/16
4/252.1

* cited by examiner

