



US00D805076S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,076 S**
Hong (45) **Date of Patent:** **** Dec. 12, 2017**

(54) **SENSOR DEVICE**
(71) Applicant: **IPEVO CORP.**, Taipei (TW)
(72) Inventor: **Royce Yu-Chun Hong**, Taipei (TW)
(73) Assignee: **Ipevo Corp.**, Taipei (TW)
(**) Term: **15 Years**
(21) Appl. No.: **29/557,426**

D616,481 S * 5/2010 Wampler D16/208
D618,267 S * 6/2010 Fang D16/225
D620,037 S * 7/2010 Kim D16/202
D620,512 S * 7/2010 Kao D16/202
D624,107 S * 9/2010 Goldenberg D14/138 G
D648,365 S * 11/2011 Tatara D16/225
D649,573 S * 11/2011 Al D16/202
D651,229 S * 12/2011 Tan D16/202
D658,648 S * 5/2012 Chen D14/358
D669,894 S * 10/2012 Cobbett D14/358
D676,077 S * 2/2013 Miyauchi D16/225
D678,384 S * 3/2013 Hirose D16/235

(Continued)

(22) Filed: **Mar. 9, 2016**
(51) **LOC (10) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/388**; D16/235
(58) **Field of Classification Search**
USPC D14/56-358, 388, 432, 233, 354, 125,
D14/138, 155, 217, 218, 230; D16/130,
D16/221, 225, 229, 235, 200, 202, 203,
D16/208, 211, 212; D13/123, 162, 162.1,
D13/168, 171-174; D10/104.1, 106.6,
D10/106.7, 106.93
CPC G03B 21/14; G03B 21/26; G03B 21/361;
H04N 5/74; G02B 27/20; G08B
13/19602; G08B 13/9621; G08B
13/19632; G08B 13/19658; G08B
13/1966; G08B 13/19695
See application file for complete search history.

OTHER PUBLICATIONS

Interactive Whiteboard Systems in Education Archives—p. 3 of 6 _IPEVO Blog. blog.ipevo.com. [online PDF] 37 pgs. Posted Oct. 21, 2015 [retrieved on Jul. 24, 2017] <https://blog.ipevo.com/category/by-application/interactive-whiteboard-systems-in-education/page/3/>.*

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Marie D. Fast Horse
(74) *Attorney, Agent, or Firm* — Alan D. Kamrath;
Kamrath IP Lawfirm, P.A.

(57) **CLAIM**

The ornamental design for a sensor device, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a sensor device in accordance with the design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left view thereof;
FIG. 5 is a right view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines in the drawings depict portions of the sensor device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D340,042 S * 10/1993 Copper D14/388
D349,491 S * 8/1994 Copper D14/388
D375,970 S * 11/1996 Harata D16/221
D388,721 S * 1/1998 Kinner D10/104.1
D433,050 S * 10/2000 Mitsui D16/237
D456,166 S * 4/2002 Seltzer D3/215
D505,146 S * 5/2005 Ou D16/202
D510,928 S * 10/2005 Bair D14/484.1
D523,011 S * 6/2006 Jones D14/388
D556,743 S * 12/2007 Griffin D14/230
D600,264 S * 9/2009 Baumgartner D16/203



(56)

References Cited

U.S. PATENT DOCUMENTS

D684,617	S *	6/2013	Romero	G02B 7/02 D16/130
D692,473	S *	10/2013	Kawaguchi	D16/202
D694,264	S *	11/2013	Reinhardt	D10/46
D694,795	S *	12/2013	Hyers	D16/135
D697,119	S *	1/2014	Park	D16/202
D697,124	S *	1/2014	Inoue	D16/235
D717,747	S *	11/2014	Nishimoto	D14/125
D725,693	S *	3/2015	Lenz	D16/225
D740,872	S *	10/2015	Wada	D16/203
D746,349	S *	12/2015	Yung	D16/203
D746,889	S *	1/2016	Moon	D16/203
D754,228	S *	4/2016	O'Neill	D16/130
D756,814	S *	5/2016	Pankewich, Jr.	D10/65
D772,727	S *	11/2016	Silvera	D10/22
D782,341	S *	3/2017	Van Dalen	D10/46
2012/0019658	A1 *	1/2012	Mironichev	G08B 13/19602 348/143

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7