



US00D805210S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,210 S**  
**Leier et al.** (45) **Date of Patent:** **\*\* Dec. 12, 2017**

(54) **MESSAGE DEVICE**

(71) Applicant: **Expectations, LLC**, Puyallup, WA (US)

(72) Inventors: **Christopher Henry Leier**, Taichung, WA (US); **Steve Avila**, Auburn, WA (US); **Lopin Wang**, Taichung (TW)

(73) Assignee: **Expectations, LLC**, Puyallup, WA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/553,038**

(22) Filed: **Jan. 28, 2016**

(51) **LOC (10) Cl.** ..... **28-03**

(52) **U.S. Cl.**  
 USPC ..... **D24/211**

(58) **Field of Classification Search**  
 USPC ..... D24/200, 211, 212, 213, 214, 215;  
 601/19, 27-32, 46-48, 52, 99, 112-113,  
 601/118, 135, 137, DIG. 12, DIG. 14,  
 601/DIG. 15, DIG. 16, DIG. 17;  
 D30/160; D14/218, 138 AA  
 CPC ..... A61H 19/00; A61H 19/30; A61H 19/32;  
 A61H 19/34; A61H 19/40; A61H 19/44;  
 A61H 19/50; A61H 2015/0007; A61H  
 2015/0014; A61H 2015/0042; A61H  
 15/00; A61H 7/003; A61H 7/005  
 See application file for complete search history.

4,798,198 A \* 1/1989 Wright ..... A61H 7/003  
 601/119

5,560,746 A \* 10/1996 Willow ..... A61H 39/04  
 601/135

D382,644 S \* 8/1997 Chi ..... D24/200

D445,196 S \* 7/2001 Gladieux, III ..... D24/211

D445,508 S \* 7/2001 Gladieux, III ..... D24/211

6,758,826 B2 \* 7/2004 Luetgen ..... A61H 19/34  
 601/135

D590,510 S \* 4/2009 Johansen ..... D24/214

D646,794 S \* 10/2011 Hennessey ..... D24/214

D675,332 S \* 1/2013 Tinder ..... D24/215

D690,431 S \* 9/2013 Nohr ..... D24/215

D691,731 S \* 10/2013 Grippo ..... A61H 7/003  
 D24/215

D722,176 S \* 2/2015 Gutman ..... D24/215

D724,235 S \* 3/2015 Kuneyl ..... D24/215

D735,348 S \* 7/2015 Hennessey ..... D24/211

D742,534 S \* 11/2015 Bains ..... D24/214

D750,796 S \* 3/2016 Bains ..... D24/214

D765,872 S \* 9/2016 Blaskovich ..... D24/214

\* cited by examiner

*Primary Examiner* — Sandra Snapp  
 (74) *Attorney, Agent, or Firm* — Charles E. Baxley

(57) **CLAIM**

The ornamental design for a massage device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a massage device showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a left side elevational view thereof; and,  
 FIG. 7 is a right side elevational view thereof.


**1 Claim, 5 Drawing Sheets**

(56) **References Cited**  
 U.S. PATENT DOCUMENTS

D185,246 S \* 5/1959 Taran ..... 601/119  
 4,266,536 A \* 5/1981 Casares ..... A61H 15/0092  
 601/119

D279,126 S \* 6/1985 Kaeser ..... D24/211

4,550,718 A \* 11/1985 Kaeser ..... A61H 15/0092  
 15/144.2






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7