



US00D805213S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,213 S**  
**Deering** (45) **Date of Patent:** **\*\* Dec. 12, 2017**

(54) **RAIL BASE**  
(71) Applicant: **Safety Rail Company, LLC**, Spring Park, MN (US)  
(72) Inventor: **Bradley E. Deering**, Waconia, MN (US)  
(73) Assignee: **Safety Rail Company, LLC**, Spring Park, MN (US)

D408,268 S \* 4/1999 Dunn ..... D8/354  
D420,890 S \* 2/2000 Kuhnke ..... D8/354  
6,324,800 B1 12/2001 Valentz et al.  
6,516,571 B1 2/2003 Overthun et al.  
6,554,257 B1 4/2003 Kenton  
6,578,827 B2 6/2003 McCracken  
6,669,163 B2 12/2003 Davis, Jr.  
6,845,970 B1 1/2005 Kenton  
6,863,253 B2 3/2005 Valentz et al.  
7,334,957 B2 2/2008 Sadinsky et al.  
7,338,033 B2 3/2008 Anson et al.  
7,344,051 B2 3/2008 Flamingo et al.

(\*\*) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/533,708**

**FOREIGN PATENT DOCUMENTS**

(22) Filed: **Jul. 21, 2015**

GB 2092370 \* 6/2000  
NL 1008592 C2 9/1999

**Related U.S. Application Data**

(63) Continuation of application No. 13/612,292, filed on Sep. 12, 2012, now Pat. No. 9,376,832.

<http://www.safetyrailcompany.com/mobile-safety-rail/> Retrieved Jan. 12, 2017.\*

(51) **LOC (10) Cl.** ..... **25-02**

(Continued)

(52) **U.S. Cl.**  
USPC ..... **D25/38.1**

(58) **Field of Classification Search**  
USPC ..... D25/38.1, 39, 40, 41.1, 42-46, 133;  
256/65.01  
CPC . E04H 12/22; E04H 12/2238; E04H 12/2246;  
E04H 12/2253; E04H 12/2269; E04H  
17/22; E01F 9/692; E04C 3/00

**OTHER PUBLICATIONS**  
*Primary Examiner* — Susan Bennett Hattan  
*Assistant Examiner* — Leanne Was-Englehart  
(74) *Attorney, Agent, or Firm* — Christensen, Fonder, Dardi & Herbert PLLC

See application file for complete search history.

(57) **CLAIM**

I claim the ornamental design for a rail base, as shown and described.

(56) **References Cited**


**DESCRIPTION**

**U.S. PATENT DOCUMENTS**

413,716 A 10/1889 Hall  
673,037 A 4/1901 Swank et al.  
1,665,726 A 4/1928 Allison  
3,119,588 A 1/1964 Keats  
3,776,521 A 12/1973 Weinert  
5,161,784 A 11/1992 Sader  
5,188,342 A 2/1993 Ouellette et al.  
5,816,554 A 10/1998 McCracken

FIG. 1 is a perspective view of a rail base.  
FIG. 2 is a top view of the FIG. 1 rail base.  
FIG. 3 is a bottom view of the FIG. 1 rail base; and,  
FIG. 4 is a side view of the FIG. 1 rail base.  
The broken lines in the drawing depict portions of the rail base that form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

7,553,103	B2	6/2009	Jameson et al.	
D602,175	S *	10/2009	Droomer .....	D25/133
7,614,819	B1	11/2009	Mirman et al.	
7,722,285	B2	5/2010	Schram et al.	
7,909,310	B2	3/2011	Weiner	
8,132,792	B2	3/2012	Perris	
8,689,938	B2	4/2014	Kenton et al.	
8,919,361	B2	12/2014	Ma	
D752,775	S *	3/2016	Stacey .....	D25/133
D764,070	S *	8/2016	Lussier .....	D25/133
2005/0056741	A1 *	3/2005	Higgs .....	E01F 9/692 248/188.8
2006/0278472	A1	12/2006	Kenton et al.	
2008/0028718	A1	2/2008	Erickson et al.	
2009/0212270	A1	8/2009	Collins, IV	
2010/0044661	A1	2/2010	Weiner	
2011/0311754	A1	12/2011	Kray	
2013/0062585	A1 *	3/2013	Deering .....	E01F 13/022 256/65.01
2016/0123522	A1 *	5/2016	Hahn .....	A63B 71/023 248/523

OTHER PUBLICATIONS

[http://www.fallprotectionusa.com/safety\\_rail.html](http://www.fallprotectionusa.com/safety_rail.html) Available Jun. 4, 2012.\*

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4