



US00D805213S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,213 S**
Deering (45) **Date of Patent:** **** Dec. 12, 2017**

- (54) **RAIL BASE**
- (71) Applicant: **Safety Rail Company, LLC**, Spring Park, MN (US)
- (72) Inventor: **Bradley E. Deering**, Waconia, MN (US)
- (73) Assignee: **Safety Rail Company, LLC**, Spring Park, MN (US)

D408,268	S	*	4/1999	Dunn	D8/354
D420,890	S	*	2/2000	Kuhnke	D8/354
6,324,800	B1		12/2001	Valentz et al.		
6,516,571	B1		2/2003	Overthun et al.		
6,554,257	B1		4/2003	Kenton		
6,578,827	B2		6/2003	McCracken		
6,669,163	B2		12/2003	Davis, Jr.		
6,845,970	B1		1/2005	Kenton		
6,863,253	B2		3/2005	Valentz et al.		
7,334,957	B2		2/2008	Sadinsky et al.		
7,338,033	B2		3/2008	Anson et al.		
7,344,051	B2		3/2008	Flamingo et al.		

(**) Term: **15 Years**

(21) Appl. No.: **29/533,708**

(22) Filed: **Jul. 21, 2015**

(Continued)

FOREIGN PATENT DOCUMENTS

GB	2092370	*	6/2000
NL	1008592	C2	9/1999

Related U.S. Application Data

(63) Continuation of application No. 13/612,292, filed on Sep. 12, 2012, now Pat. No. 9,376,832.

(51) **LOC (10) Cl.** **25-02**

(52) **U.S. Cl.**
USPC **D25/38.1**

(58) **Field of Classification Search**
USPC D25/38.1, 39, 40, 41.1, 42-46, 133;
256/65.01

CPC . E04H 12/22; E04H 12/2238; E04H 12/2246;
E04H 12/2253; E04H 12/2269; E04H
17/22; E01F 9/692; E04C 3/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

413,716	A	10/1889	Hall
673,037	A	4/1901	Swank et al.
1,665,726	A	4/1928	Allison
3,119,588	A	1/1964	Keats
3,776,521	A	12/1973	Weinert
5,161,784	A	11/1992	Sader
5,188,342	A	2/1993	Ouellette et al.
5,816,554	A	10/1998	McCracken

OTHER PUBLICATIONS

<http://www.safetyrailcompany.com/mobile-safety-rail/> Retrieved Jan. 12, 2017.*

(Continued)

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — Christensen, Fonder, Dardi & Herbert PLLC


(57) **CLAIM**

I claim the ornamental design for a rail base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rail base.
FIG. 2 is a top view of the FIG. 1 rail base.
FIG. 3 is a bottom view of the FIG. 1 rail base; and,
FIG. 4 is a side view of the FIG. 1 rail base.
The broken lines in the drawing depict portions of the rail base that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,553,103	B2	6/2009	Jameson et al.	
D602,175	S *	10/2009	Droomer	D25/133
7,614,819	B1	11/2009	Mirman et al.	
7,722,285	B2	5/2010	Schram et al.	
7,909,310	B2	3/2011	Weiner	
8,132,792	B2	3/2012	Perris	
8,689,938	B2	4/2014	Kenton et al.	
8,919,361	B2	12/2014	Ma	
D752,775	S *	3/2016	Stacey	D25/133
D764,070	S *	8/2016	Lussier	D25/133
2005/0056741	A1 *	3/2005	Higgs	E01F 9/692 248/188.8
2006/0278472	A1	12/2006	Kenton et al.	
2008/0028718	A1	2/2008	Erickson et al.	
2009/0212270	A1	8/2009	Collins, IV	
2010/0044661	A1	2/2010	Weiner	
2011/0311754	A1	12/2011	Kray	
2013/0062585	A1 *	3/2013	Deering	E01F 13/022 256/65.01
2016/0123522	A1 *	5/2016	Hahn	A63B 71/023 248/523

OTHER PUBLICATIONS

http://www.fallprotectionusa.com/safety_rail.html Available Jun. 4, 2012.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4