



US00D805295S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,295 S**
Paterson (45) **Date of Patent:** **** Dec. 19, 2017**

(54) **PICK HOLDER**

(71) Applicant: **Robert Bruce Paterson**, Tenafly, NJ
(US)

(72) Inventor: **Robert Bruce Paterson**, Tenafly, NJ
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/572,542**

(22) Filed: **Jul. 28, 2016**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/215; D3/201; D3/204; D17/20**

(58) **Field of Classification Search**
USPC **D17/20; D3/201, 204, 215**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,785,708 A * 11/1988 Vaughan G10D 3/163
84/322
D309,674 S * 8/1990 Gervase 224/247
5,231,238 A 7/1993 Adams

(Continued)

Primary Examiner — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Garcia-Zamor IP Law;
Ruy M. Garcia-Zamor

(57) **CLAIM**

The ornamental design for a pick holder, as shown and described.

DESCRIPTION

FIG. 1 is a front and right side perspective view of a pick holder of the present invention;

FIG. 2 is a rear and left side perspective view of a pick holder of FIG. 1;

FIG. 3 is a front side elevational view of the pick holder of FIG. 1;

FIG. 4 is a left side elevational view of the pick holder of FIG. 1;

FIG. 5 is a right side elevational of the pick holder of FIG. 1;

FIG. 6 is a rear elevational view of the pick holder of FIG. 1;

FIG. 7 is a top plan view of the pick holder of FIG. 1;

FIG. 8 is a bottom plan view of the pick holder of FIG. 1;

FIG. 9 is a top perspective view of the pick holder of FIG. 1;

FIG. 10 is a front and left side perspective view of the pick holder of FIG. 1;

FIG. 11 is a front and right side perspective view of a second embodiment of the pick holder of FIG. 1;

FIG. 12 is a rear and left side perspective view of a pick holder of FIG. 11;

FIG. 13 is a front side elevational view of the pick holder of FIG. 11;

FIG. 14 is a left side elevational view of the pick holder of FIG. 11;

FIG. 15 is a right side elevational of the pick holder of FIG. 11;

FIG. 16 is a rear elevational view of the pick holder of FIG. 11;

FIG. 17 is a top plan view of the pick holder of FIG. 11;


FIG. 18 is a bottom plan view of the pick holder of FIG. 11;

FIG. 19 is a top perspective view of the pick holder of FIG. 11; and,

FIG. 20 is a front and left side perspective view of the pick holder of FIG. 11.

The broken lines in FIGS. 10-20 represent environment and/or unclaimed subject matter, and are for illustrative purposes only and do not constitute part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|------------------|-----------------------|
| 5,905,217 | A * | 5/1999 | Byers | G10D 3/163 84/320 |
| 6,140,564 | A * | 10/2000 | Pia | G10D 3/163 84/320 |
| 6,215,052 | B1 * | 4/2001 | Giddens | G10D 3/163 211/120 |
| 6,933,430 | B2 | 8/2005 | Oskorep | |
| 7,417,184 | B2 * | 8/2008 | Weathersby | G10D 3/163 84/322 |
| 7,626,103 | B1 * | 12/2009 | Phillips | G10D 3/163 84/320 |
| D626,170 | S * | 10/2010 | McNeely | D17/20 |
| 8,134,059 | B2 * | 3/2012 | Zink | G10D 3/163 84/320 |
| D697,707 | S * | 1/2014 | Surabian | D3/204 |
| D707,287 | S * | 6/2014 | Thomas | D17/20 |
| 8,766,071 | B2 * | 7/2014 | Risolia | G10D 3/163 84/322 |
| 9,018,502 | B2 * | 4/2015 | Aletto | G10D 3/163 84/320 |
| 9,418,633 | B1 * | 8/2016 | Storck | G10D 3/163 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20