

US00D805657S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,657 S**
Wessendorf (45) **Date of Patent:** **** Dec. 19, 2017**

(54) **SCAFFOLD ANCHOR** 7,472,874 B2 * 1/2009 Gross E04H 12/2215
248/508
(71) Applicant: **Wessendorf Systembeschichtungen** D701,618 S * 3/2014 Donlon D25/68
GmbH, Emstek (DE) 9,702,154 B2 * 7/2017 Wessendorf E04G 5/046
2008/0179477 A1 7/2008 Harney
(72) Inventor: **Franz Wessendorf, Emstek (DE)** 2012/0279151 A1* 11/2012 Axelsson F16B 13/0833
52/745.21

(Continued)

(73) Assignee: **Wessendorf Systembeschichtungen GmbH, Emstek (DE)**

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

DE 29 08 405 A1 9/1980
DE 79 05 976 U1 6/1982

(21) Appl. No.: **29/576,932**

(Continued)

(22) Filed: **Sep. 8, 2016**

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Michael Maharajh

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

Mar. 8, 2016 (EM) 003019744-0001

(51) **LOC (10) Cl.** **25-04**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D25/68**

The ornamental design for the scaffold anchor, as shown and described.

(58) **Field of Classification Search**
USPC 182/128, 187, 230; 52/698, 713, 714,
52/745.21; 623/13.14; D25/62, 66, 68,
D25/131, 133; 248/238, 507, 508
CPC E04G 5/04; E04G 5/046; B29C 44/1214
See application file for complete search history.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

596,161 A 12/1897 Funcke
4,596,102 A * 6/1986 Catani E04B 1/4178
52/713
4,642,964 A 2/1987 Kellison
5,060,436 A 10/1991 Delgado, Jr.
5,562,377 A 10/1996 Giannuzzi et al.
5,807,051 A 9/1998 Heminger
5,857,817 A 1/1999 Giannuzzi et al.
D424,713 S * 5/2000 Blackwell D25/131

FIG. 1 is a front right perspective view of a scaffold anchor showing my new design.
FIG. 2 is a rear perspective view of the scaffold anchor of FIG. 1.
FIG. 3 is a front side view of the scaffold anchor of FIG. 1.
FIG. 4 is a rear side view of the scaffold anchor of FIG. 1.
FIG. 5 is a left side of the scaffold anchor of FIG. 1.
FIG. 6 is a right side view of the scaffold anchor of FIG. 1.
FIG. 7 is a top view of the scaffold anchor of FIG. 1; and, FIG. 8 is a bottom view of the scaffold anchor of FIG. 1.
The dashed lines in the figures are for the purpose of illustrating portions of the scaffold anchor and form no a part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0101278 A1* 4/2015 Curtis E04B 1/4178
52/745.21
2016/0047132 A1* 2/2016 Wessendorf E04G 5/046
52/745.21

FOREIGN PATENT DOCUMENTS

DE 83 04 713 U1 8/1983
DE 297 21 364 U1 2/1998
DE 10 2011 107 954 A1 1/2013
EP 2 525 107 A2 11/2012
GB 2 245 673 A 1/1992
GB 2 413 164 A 10/2005
JP H 01-208125 A 8/1989
JP 2005-314881 A 11/2005

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8