



US00D805657S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,657 S**  
**Wessendorf** (45) **Date of Patent:** **\*\* Dec. 19, 2017**

(54) **SCAFFOLD ANCHOR** 7,472,874 B2 \* 1/2009 Gross ..... E04H 12/2215  
248/508  
(71) Applicant: **Wessendorf Systembeschichtungen** D701,618 S \* 3/2014 Donlon ..... D25/68  
**GmbH, Emstek (DE)** 9,702,154 B2 \* 7/2017 Wessendorf ..... E04G 5/046  
2008/0179477 A1 7/2008 Harney  
(72) Inventor: **Franz Wessendorf, Emstek (DE)** 2012/0279151 A1\* 11/2012 Axelsson ..... F16B 13/0833  
52/745.21

(Continued)

(73) Assignee: **Wessendorf Systembeschichtungen GmbH, Emstek (DE)**

**FOREIGN PATENT DOCUMENTS**

(\*\*) Term: **15 Years** DE 29 08 405 A1 9/1980  
DE 79 05 976 U1 6/1982

(21) Appl. No.: **29/576,932**

(Continued)

(22) Filed: **Sep. 8, 2016**

*Primary Examiner* — Cynthia Ramirez  
*Assistant Examiner* — Michael Maharajh

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

Mar. 8, 2016 (EM) ..... 003019744-0001

(51) **LOC (10) Cl.** ..... **25-04**

(57) **CLAIM**

(52) **U.S. Cl.**  
USPC ..... **D25/68**

The ornamental design for the scaffold anchor, as shown and described.

(58) **Field of Classification Search**  
USPC ..... 182/128, 187, 230; 52/698, 713, 714,  
52/745.21; 623/13.14; D25/62, 66, 68,  
D25/131, 133; 248/238, 507, 508  
CPC ..... E04G 5/04; E04G 5/046; B29C 44/1214  
See application file for complete search history.

**DESCRIPTION**


(56) **References Cited**

FIG. 1 is a front right perspective view of a scaffold anchor showing my new design.  
FIG. 2 is a rear perspective view of the scaffold anchor of FIG. 1.  
FIG. 3 is a front side view of the scaffold anchor of FIG. 1.  
FIG. 4 is a rear side view of the scaffold anchor of FIG. 1.  
FIG. 5 is a left side of the scaffold anchor of FIG. 1.  
FIG. 6 is a right side view of the scaffold anchor of FIG. 1.  
FIG. 7 is a top view of the scaffold anchor of FIG. 1; and, FIG. 8 is a bottom view of the scaffold anchor of FIG. 1.  
The dashed lines in the figures are for the purpose of illustrating portions of the scaffold anchor and form no a part of the claimed design.

**U.S. PATENT DOCUMENTS**

596,161 A 12/1897 Funcke  
4,596,102 A \* 6/1986 Catani ..... E04B 1/4178  
52/713  
4,642,964 A 2/1987 Kellison  
5,060,436 A 10/1991 Delgado, Jr.  
5,562,377 A 10/1996 Giannuzzi et al.  
5,807,051 A 9/1998 Heminger  
5,857,817 A 1/1999 Giannuzzi et al.  
D424,713 S \* 5/2000 Blackwell ..... D25/131

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2015/0101278 A1\* 4/2015 Curtis ..... E04B 1/4178  
52/745.21  
2016/0047132 A1\* 2/2016 Wessendorf ..... E04G 5/046  
52/745.21

FOREIGN PATENT DOCUMENTS

DE 83 04 713 U1 8/1983  
DE 297 21 364 U1 2/1998  
DE 10 2011 107 954 A1 1/2013  
EP 2 525 107 A2 11/2012  
GB 2 245 673 A 1/1992  
GB 2 413 164 A 10/2005  
JP H 01-208125 A 8/1989  
JP 2005-314881 A 11/2005

\* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6






FIG.7




FIG. 8