



US00D805879S

(12) **United States Design Patent**
Garcia

(10) **Patent No.:** **US D805,879 S**

(45) **Date of Patent:** **** Dec. 26, 2017**

(54) **CORD TENSIONING AND SECURING DEVICE**

(71) Applicant: **Brent A. Garcia**, Las Vegas, NV (US)

(72) Inventor: **Brent A. Garcia**, Las Vegas, NV (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/560,632**

(22) Filed: **Apr. 8, 2016**

(51) **LOC (10) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/356, 354, 349
CPC B65H 57/16; E02D 5/803; B63B 21/045;
B63B 59/02; B60D 1/18; B60P 1/103;
Y10T 24/3918

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|----------------|-------------------------|
| 2,229,935 | A | 1/1941 | Powers | |
| 2,937,833 | A * | 5/1960 | Sachs | F16L 3/2235 248/49 |
| 4,099,626 | A * | 7/1978 | Magnussen, Jr. | A47B 63/02 211/194 |
| D258,864 | S * | 4/1981 | Muller | D8/356 |
| D265,052 | S * | 6/1982 | Husted | D8/356 |
| 5,234,185 | A * | 8/1993 | Hoffman | F16L 5/14 248/56 |
| 5,316,246 | A * | 5/1994 | Scott | A61M 5/1418 248/68.1 |
| D353,990 | S * | 1/1995 | Alfreds | D8/356 |
| D372,188 | S * | 7/1996 | Van Dyke | D8/358 |
| D390,447 | S * | 2/1998 | Colen, Jr. | D8/356 |
| 5,992,802 | A * | 11/1999 | Campbell | F16L 3/2235 248/68.1 |

| | | | | |
|-----------|------|---------|--------------|-------------------------|
| 6,571,854 | B1 * | 6/2003 | Palmer | E06B 9/324 160/173 R |
| D494,450 | S * | 8/2004 | Schultz | D8/356 |
| 7,081,004 | B1 | 7/2006 | Puzio | |
| D576,867 | S * | 9/2008 | Kretz | D8/356 |
| 7,610,661 | B2 * | 11/2009 | Sween | B65H 75/06 24/129 R |
| 8,294,030 | B2 * | 10/2012 | Pollard, Jr. | H02G 3/24 174/155 |
| D731,296 | S * | 6/2015 | Nelson | D8/356 |
| D753,985 | S * | 4/2016 | Nelson | D8/356 |
| D791,582 | S * | 7/2017 | Nelson | D8/356 |
| D794,434 | S * | 8/2017 | McCoy | D8/354 |
| 9,755,354 | B1 * | 9/2017 | Aumiller | H01R 13/60 |

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Loza & Loza, LLP;
Heidi L. Eisenhut


(57) **CLAIM**

The ornamental design for a cord tensioning and securing device, substantially as shown and described.

DESCRIPTION

The present application is a continuation, and claims the priority benefit of, U.S. patent application Ser. No. 14/152,077 filed Jan. 10, 2014, the contents of which are hereby incorporated in their entirety into the present disclosure. FIG. 1 is a perspective view of a cord tensioning and securing device in accordance with the present invention; FIG. 2 is a left side view thereof; FIG. 3 is a right side view thereof; and, FIG. 4 is a bottom perspective view thereof. The broken lines represent portions of the structure that forms no part of the claim.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4