



US00D806267S

(12) **United States Design Patent** (10) **Patent No.:** **US D806,267 S**
Madden (45) **Date of Patent:** **** Dec. 26, 2017**

(54) **SPLICE CONNECTOR FOR HANDRAILS**

(71) Applicant: **Michael Madden**, Lake Ozark, MO (US)

(72) Inventor: **Michael Madden**, Lake Ozark, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/554,401**

(22) Filed: **Feb. 11, 2016**

(51) **LOC (10) Cl.** **25-02**

(52) **U.S. Cl.**
USPC **D25/41.1**

(58) **Field of Classification Search**
USPC D8/382; D25/38.1, 41.1, 43, 44, 119, D25/120, 121, 122, 123, 124, 125, 126, D25/136, 164; 256/21, 59, 66, DIG. 6; 403/311
CPC F16B 7/0413; E04F 11/18; E04F 11/1851; E06B 3/62; E06B 3/5409
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

764,054 A	7/1904	Houdlette	
1,469,304 A	6/1921	Hughes	
2,997,317 A	8/1961	Scott	
D269,910 S *	7/1983	Johansson	D25/124
4,714,369 A	12/1987	Souza, Jr.	
4,920,717 A *	5/1990	Hooper, Jr.	E04F 11/1851 256/24
D317,205 S *	5/1991	Johansson	D25/125
5,061,000 A	10/1991	Haugen	
5,200,240 A *	4/1993	Baker	E04F 11/18 256/59
D335,353 S *	5/1993	Baker	D25/38.1
D353,467 S *	12/1994	Raynes	D25/125
D378,432 S *	3/1997	Raynes	G09B 21/003 D25/164
5,803,647 A	9/1998	Hughes	

5,896,980 A	4/1999	Butler	
6,568,658 B2	5/2003	Strome	
6,726,255 B1	4/2004	Ward	
D509,906 S *	9/2005	Enersen	D25/38.1
7,017,320 B2 *	3/2006	Chen	E04F 11/1851 256/24
D560,819 S *	1/2008	Thelwell	D25/38.1
D581,772 S *	12/2008	Hozen	D8/382
D613,420 S *	4/2010	Matheisl	D25/38.1
D619,737 S *	7/2010	Shoaf	D25/126
D620,127 S *	7/2010	Mawby	D25/38.1

(Continued)

OTHER PUBLICATIONS

<http://shop.aluminumpatiocovers.net/ADA-Pipe-to-Pipe-Internal-Splice-5-in-Fits-our-19-in-Pipe-CHA650-M.htm?categoryId=18>
Available May 27, 2016.*

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — Mark D. Bowen; Malin Haley DiMaggio & Bowen, P.A.


(57) **CLAIM**

The ornamental design for a splice connector for handrails, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a splice connector for handrails in accordance with the present invention; FIG. 2 is a rear view thereof; FIG. 3 is a front view thereof; FIG. 4 right side view thereof, with the left side view being a mirror image; FIG. 5 is an end view thereof; FIG. 6 is perspective view illustrating placement of the splice connector in a handrail environment; and, FIG. 7 is another perspective view thereof. The broken lines depicting the handrail environment in FIGS. 6 & 7 form no part of the claimed design.

1 Claim, 6 Drawing Sheets




(56)

References Cited

U.S. PATENT DOCUMENTS

D626,405	S	11/2010	Goad	
D647,630	S *	10/2011	Seehof	D25/41.1
D647,631	S *	10/2011	Seehof	D25/41.1
D661,813	S *	6/2012	Walker	D25/38.1
D720,477	S *	12/2014	Ross	D25/121
D755,988	S *	5/2016	Walker	D25/119
2011/0017969	A1 *	1/2011	Reich	E04F 11/1836 256/65.16

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5

