

US00D806267S

(12) **United States Design Patent** (10) **Patent No.:** **US D806,267 S**
Madden (45) **Date of Patent:** **** Dec. 26, 2017**

(54) **SPLICE CONNECTOR FOR HANDRAILS**(71) Applicant: **Michael Madden**, Lake Ozark, MO
(US)(72) Inventor: **Michael Madden**, Lake Ozark, MO
(US)(**) Term: **15 Years**(21) Appl. No.: **29/554,401**(22) Filed: **Feb. 11, 2016**(51) LOC (10) Cl. **25-02**(52) U.S. Cl.
USPC **D25/41.1**(58) **Field of Classification Search**USPC D8/382; D25/38.1, 41.1, 43, 44, 119,
D25/120, 121, 122, 123, 124, 125, 126,
D25/136, 164; 256/21, 59, 66, DIG. 6;
403/311CPC F16B 7/0413; E04F 11/18; E04F 11/1851;
E06B 3/62; E06B 3/5409

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

764,054 A	7/1904	Houdlette
1,469,304 A	6/1921	Hughes
2,997,317 A	8/1961	Scott
D269,910 S *	7/1983	Johansson
4,714,369 A	12/1987	Souza, Jr.
4,920,717 A *	5/1990	Hooper, Jr. E04F 11/1851 256/24
D317,205 S *	5/1991	Johansson
5,061,000 A	10/1991	Haugen
5,200,240 A *	4/1993	Baker
D335,353 S *	5/1993	Baker
D353,467 S *	12/1994	Raynes
D378,432 S *	3/1997	Raynes
5,803,647 A	9/1998	Hughes

5,896,980 A	4/1999	Butler
6,568,658 B2	5/2003	Strome
6,726,255 B1	4/2004	Ward
D509,906 S *	9/2005	Enersen
7,017,320 B2 *	3/2006	Chen
		E04F 11/1851 256/24
D560,819 S *	1/2008	Thelwell
D581,772 S *	12/2008	Hozen
D613,420 S *	4/2010	Matheisl
D619,737 S *	7/2010	Shoaf
D620,127 S *	7/2010	Mawby

(Continued)

OTHER PUBLICATIONS


<http://shop.aluminumpatiocovers.net/ADA-Pipe-to-Pipe-Internal-Splice-5-in-Fits-our-19-in-Pipe-CHA650-M.htm?categoryId=18>
Available May 27, 2016.*

Primary Examiner — Susan Bennett Hattan*Assistant Examiner* — Leanne Was-Englehart(74) *Attorney, Agent, or Firm* — Mark D. Bowen; Malin Haley DiMaggio & Bowen, P.A.(57) **CLAIM**

The ornamental design for a splice connector for handrails, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a splice connector for handrails in accordance with the present invention;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 right side view thereof, with the left side view being a mirror image;
 FIG. 5 is an end view thereof;
 FIG. 6 is perspective view illustrating placement of the splice connector in a handrail environment; and,
 FIG. 7 is another perspective view thereof.
 The broken lines depicting the handrail environment in FIGS. 6 & 7 form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D626,405 S 11/2010 Goad
D647,630 S * 10/2011 Seehof D25/41.1
D647,631 S * 10/2011 Seehof D25/41.1
D661,813 S * 6/2012 Walker D25/38.1
D720,477 S * 12/2014 Ross D25/121
D755,988 S * 5/2016 Walker D25/119
2011/0017969 A1* 1/2011 Reich E04F 11/1836
256/65.16

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

