



US00D806376S

(12) **United States Design Patent** (10) **Patent No.:** **US D806,376 S**
Sears (45) **Date of Patent:** **** Jan. 2, 2018**

(54) **LACE POINT**
(71) Applicant: **Guy David Sears**, Lithia Springs, GA (US)
(72) Inventor: **Guy David Sears**, Lithia Springs, GA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/567,546**
(22) Filed: **Jun. 9, 2016**
(51) **LOC (11) Cl.** **02-04**
(52) **U.S. Cl.**
USPC **D2/976; D2/978**
(58) **Field of Classification Search**
USPC D2/896, 946, 976, 978, 999; D14/224; D8/395, 28; D18/50; D11/79
CPC A43C 7/00; A43C 11/00; A41D 1/06
See application file for complete search history.

3,066,370 A 2/1961 Epstein
3,500,508 A 3/1970 Bennett
4,290,172 A 9/1981 Burton
4,291,439 A 9/1981 Riti
4,545,138 A 10/1985 Blum
4,553,293 A 11/1985 Blum
4,648,159 A 3/1987 Dougherty
4,780,936 A 11/1988 Brecher
4,879,787 A 11/1989 Walls
5,158,428 A 10/1992 Gessner
5,467,511 A 11/1995 Kubo
D394,745 S * 6/1998 Egelja D2/946
5,913,483 A 6/1999 Polk
5,924,177 A 7/1999 Jongejan
5,979,028 A 11/1999 Hicks

(Continued)

Primary Examiner — Holly Baynham
Assistant Examiner — Rashida C Walshon
(74) *Attorney, Agent, or Firm* — Crose Law LLC; Bradley D. Crose

(57) **CLAIM**

The ornamental design for a lace point, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

423,808 A	3/1890	Potts	
493,202 A	3/1893	Abney	
662,519 A	11/1900	Beach	
730,031 A	6/1903	Leopold	
743,954 A	11/1903	Thoma	
756,940 A	4/1904	Conger	
886,792 A	5/1908	Gayton	
1,242,774 A *	10/1917	Curry	A43C 7/04 24/712.6
1,446,663 A *	2/1923	Sandberg	A43C 7/00 24/712.3
1,531,410 A	3/1925	Osterholt	
1,624,564 A	4/1927	Shetzline, Jr.	
1,629,684 A	5/1927	Haan	
1,879,475 A	9/1932	Poon	
2,038,851 A	4/1936	Nagamatsu	
2,305,552 A	12/1942	Nyhagen	
2,650,399 A	9/1953	Torelli	

DESCRIPTION

FIG. 1 is a front perspective view of a lace point, illustrating the new, original, and ornamental design;
FIG. 2 is a front planar view of the lace point;
FIG. 3 is a back planar view of the lace point;
FIG. 4 is a top planar view of the lace point;
FIG. 5 is a bottom planar view of the lace point;
FIG. 6 is a left side planar view of the lace point;
FIG. 7 is a right side planar view of the lace point; and,
FIG. 8 is a view of a pair of lace points shown in use securing a lace within a shoe in an untied position.
The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,026,548	A	2/2000	Jackson	
6,112,379	A	9/2000	Fernandez	
6,178,606	B1	1/2001	Glendon	
6,240,607	B1	6/2001	McCrary	
6,247,214	B1	6/2001	Hyde	
6,338,186	B1	1/2002	Kleinmann	
D460,858	S	7/2002	Zebe, Jr.	
D462,163	S	9/2002	Zebe, Jr.	
6,473,999	B2	11/2002	Fellouhe	
D492,351	S *	6/2004	Sato	D19/34
6,823,610	B1	11/2004	Ashley	
D510,183	S *	10/2005	Tresser	D2/946
D520,899	S *	5/2006	Lawlor	D11/79
D522,850	S *	6/2006	Mandel	D8/395
D611,688	S *	3/2010	Grenet	D2/946
D677,045	S *	3/2013	Voskuil	D2/946
D692,737	S *	11/2013	Good	D8/28
D713,095	S *	9/2014	Bishop	D28/10
D736,312	S *	8/2015	Elbaum	D18/50
9,681,705	B2 *	6/2017	Trudel	A43C 7/00
D795,844	S *	8/2017	Harper	D14/223
9,730,492	B2 *	8/2017	Krengel	A43C 11/008
2016/0029745	A1	2/2016	Atherinos	
2016/0081432	A1	3/2016	Caron	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8