

US00D806615S

(12) **United States Design Patent** (10) **Patent No.:** **US D806,615 S**
Inada et al. (45) **Date of Patent:** **** Jan. 2, 2018**

(54) **ARM REST APPARATUS**

(71) Applicant: **DENSO CORPORATION**, Kariya,
Aichi-pref. (JP)

(72) Inventors: **Seisho Inada**, Kariya (JP); **Hideki
Okuda**, Kariya (JP)

(73) Assignee: **DENSO CORPORATION**, Kariya (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,377**

(22) Filed: **Oct. 2, 2015**

(30) **Foreign Application Priority Data**

Apr. 2, 2015 (JP) 2015-7536

(51) **LOC (11) Cl.** **12-12**

(52) **U.S. Cl.**
USPC **D12/133**

(58) **Field of Classification Search**

USPC D12/128–133

CPC . A61G 5/00–5/14; A61G 5/041–5/047; A61G
2005/048; A61B 2090/508; A61F 5/013;
A61F 5/0102; A61H 1/0281; A61H 1/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,457,912 A * 7/1969 Clark A61H 1/0288
601/40

3,812,851 A * 5/1974 Rodriguez A61M 5/52
128/877

5,263,497 A * 11/1993 Grabenkort A61B 5/0084
128/869

5,927,815 A * 7/1999 Nakamura F16C 11/106
248/276.1

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/541,386, filed Oct. 2, 2015 in the name
of Seisho Inada et al.

(Continued)

Primary Examiner — Charles Hanson

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for an arm rest apparatus, as shown
and described.

DESCRIPTION

FIG. 1 is a front view of an arm rest apparatus of our new
design;

FIG. 2 is a rear view of the arm rest apparatus shown in FIG.
1;

FIG. 3 is a top view of the arm rest apparatus shown in FIG.
1;

FIG. 4 is a bottom view of the arm rest apparatus shown in
FIG. 1;

FIG. 5 is a left side view of the arm rest apparatus shown in
FIG. 1;

FIG. 6 is a right side view of the arm rest apparatus shown
in FIG. 1;


FIG. 7 is a perspective view of the arm rest apparatus shown
in FIG. 1;

FIG. 8 is another perspective view of the arm rest apparatus
shown in FIG. 1;

FIG. 9 is a view for a reference, which shows a using state
of the arm rest apparatus; and,

FIG. 10 is a view for a reference, which shows a position
relationship of the arm rest apparatus with respect to an arm.
The dash-dash line showing of is included for the purpose of
illustrating environment and unclaimed subject matter, the
dash-dot line showing is included to illustrate the bounds of
the claimed design, and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



References Cited

D456,519	S *	4/2002	Lowe	D24/190
6,773,071	B1 *	8/2004	Stasney	A47C 7/546
				248/118.3
9,486,289	B2 *	11/2016	Okuda	A61B 90/60
9,661,883	B2 *	5/2017	Neale	B25G 1/01
9,719,370	B2 *	8/2017	Loffredo	F01D 17/105
2004/0073143	A1 *	4/2004	Bonutti	A61F 5/013
				601/5
2008/0294079	A1 *	11/2008	Sterling	A61F 5/012
				602/13
2011/0282253	A1 *	11/2011	Menon	A61F 5/013
				601/40
2014/0014804	A1 *	1/2014	Okuda	F16M 13/04
				248/550
2017/0224516	A1 *	8/2017	Bonutti	A61F 5/05858

Design U.S. Appl. No. 29/541,355, filed Oct. 2, 2015 in the name of Seisho Inada et al.
Design U.S. Appl. No. 29/541,391, filed Oct. 2, 2015 in the name of Seisho Inada et al.
Design U.S. Appl. No. 29/541,343, filed Oct. 2, 2015 in the name of Seisho Inada et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10