



US00D806769S

(12) **United States Design Patent**
Rola et al.

(10) **Patent No.:** **US D806,769 S**
(45) **Date of Patent:** **** Jan. 2, 2018**

- (54) **WELDING WIRE BUFFER**
- (71) Applicant: **Fronius International GmbH**,
Pettenbach (AT)
- (72) Inventors: **Maximilian Rola**, Wartberg an der
Krems (AT); **Christoph Fuereder**,
Gunskirchen (AT); **Christian Stumpfl**,
Wallern an der Trattnach (AT);
Wolfgang Oberroither, Meggenhofen
(AT)
- (73) Assignee: **Fronius International GmbH**,
Pettenbach (AT)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/598,311**
- (22) Filed: **Mar. 24, 2017**

4,168,406	A *	9/1979	Torrani	B23K 9/1336	219/125.12
4,328,412	A *	5/1982	Watanabe	B23K 37/02	219/121.11
4,845,330	A *	7/1989	Gaudin	B23K 9/0288	219/60 A
6,286,748	B1 *	9/2001	Cooper	B23K 9/1336	219/130.1
D520,539	S *	5/2006	Di Miceli	D15/144	
8,328,070	B1 *	12/2012	Burns	B23K 9/124	228/41
D700,143	S *	2/2014	Ichio	D13/120	
D778,838	S *	2/2017	Dobler	D13/133	
D791,081	S *	7/2017	Ishiguro	D13/133	
D795,193	S *	8/2017	Huang	D13/133	
2005/0040202	A1 *	2/2005	Kerekes	B23K 9/12	226/186
2007/0164074	A1 *	7/2007	Schorghuber	B23K 9/133	226/108
2008/0073331	A1 *	3/2008	Schafer	B23K 9/1336	219/137.7
2008/0217314	A1 *	9/2008	Wells	B23K 9/122	219/145.1

(30) **Foreign Application Priority Data**

Sep. 26, 2016 (EM) 003395219-0002

(51) **LOC (11) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/144**

(58) **Field of Classification Search**
USPC D8/29.1, 30, 123, 133; D15/144, 144.1,
D15/144.2
CPC B23K 9/32; B23K 9/028; B23K 9/133;
B23K 9/1006; B23K 9/1333; B23K
9/1336; B23K 9/1735; B23K 11/28;
B23K 37/053
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,986,208	A *	5/1961	Aciego	F23Q 2/48	431/276
3,035,155	A *	5/1962	Hawk	B23K 9/282	219/139

(Continued)

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Collard & Roe, P.C.


(57) **CLAIM**

The ornamental design for a welding wire buffer, as shown and described.

DESCRIPTION

FIG. 1 is a right side and rear perspective view of a welding wire buffer, showing our new design; FIG. 2 is a right side view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a top view thereof; FIG. 5 is a bottom view thereof; FIG. 6 is a rear view thereof; and, FIG. 7 is a front view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0097657	A1 *	4/2012	Gelmetti	B23K 9/133 219/136
2012/0145689	A1 *	6/2012	Hillen	B23K 9/095 219/130.1
2013/0048699	A1 *	2/2013	Fuerlinger	B23K 9/122 228/41
2013/0146575	A1 *	6/2013	Hillen	B23K 9/125 219/137.71
2013/0327750	A1 *	12/2013	Henche	B23K 9/133 219/137.9
2014/0042142	A1 *	2/2014	Gelmetti	B23K 9/122 219/138
2014/0054349	A1 *	2/2014	Lahti	B23K 9/133 226/190
2014/0061277	A1 *	3/2014	Matiash	B23K 9/133 226/188
2014/0131336	A1 *	5/2014	Jacques	B23K 9/323 219/137.63
2015/0174682	A1 *	6/2015	Spiesberger	B23K 9/125 219/137.7
2017/0050258	A1 *	2/2017	Hillen	B23K 9/125
2017/0120398	A1 *	5/2017	Veldsman	B23K 37/003
2017/0138409	A1 *	5/2017	Giese	B23K 9/125

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7