

US00D806774S

(12) **United States Design Patent** (10) **Patent No.:** **US D806,774 S**
Ahman et al. (45) **Date of Patent:** **** Jan. 2, 2018**

(54) **MONITORING CAMERA**

(71) Applicant: **AXIS AB**, Lund (SE)

(72) Inventors: **Daniel Ahman**, Lomma (SE); **Morten Bergstrom**, Bjarred (SE); **Mathias Walter**, Arlov (SE); **Jenny Ekdahl**, Malmo (SE); **Ola Nystedt**, Malmo (SE); **Joel Herslow**, Malmo (SE); **Karl Hill**, Loddekopinge (SE)

(73) Assignee: **AXIS AB**, Lund (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/546,961**

(22) Filed: **Nov. 30, 2015**

(30) **Foreign Application Priority Data**

May 28, 2015 (EM) 002708909-01-02

(51) **LOC (11) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/203**

(58) **Field of Classification Search**

USPC D16/200, 202–206, 218, 219, 242;
348/143, 148, 151, 373–376; 396/419,
396/427, 535, 539–541
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; H04N 5/2251;
H04N 5/2252; H04N 5/2253; H04N
5/2254; H04N 7/181; H04N 7/183; H04N
7/18; G08B 13/1963; G08B 13/19619;
G08B 13/19632; F16M 11/04; F16M
13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D636,424 S * 4/2011 Lin D16/202
D638,457 S * 5/2011 Oikawa D16/202

D638,458 S * 5/2011 Miyamori D16/202
D641,771 S * 7/2011 Sasaki D16/202
D651,632 S * 1/2012 Kim D16/202
D697,119 S * 1/2014 Park D16/202
D698,841 S * 2/2014 Lee D16/202
D701,893 S * 4/2014 Bart D16/203

(Continued)

FOREIGN PATENT DOCUMENTS

TW D145651 3/2012

OTHER PUBLICATIONS

Modular Door Station/for video intercoms/outdoor VARIO SSS
SIEDLE, 2 pages, (Jan. 1, 2014).

(Continued)

Primary Examiner — Philip S Hyder

Assistant Examiner — Ramzi S Almatrahi

(74) *Attorney, Agent, or Firm* — Volpe and Koenig, P.C.

(57) **CLAIM**

The ornamental design for a monitoring camera, as shown
and described.


DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a
monitoring camera showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof, the left side
elevational view being a mirror image thereof;
FIG. 4 is a top, rear and left side perspective view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a top plan view thereof.

The broken lines depict portions of a monitoring camera in
which the design is embodied that form no part of the
claimed design.

The dot-dash lines denote the boundary of the claim and
form no part of the claimed design.

1 Claim, 5 Drawing Sheets



References Cited

D708,247	S *	7/2014	Ookawa	D16/203
D746,348	S *	12/2015	Park	D16/203
D747,382	S *	1/2016	Smith	D16/203
D755,875	S *	5/2016	Geng	H04N 5/2251
				D16/203
13/0038728	A1 *	2/2013	Kim	H04N 5/2256
				348/143

Dnake Xingtel Security Xiamen Co., Ltd., SIP Villa Outdoor Station, Model C7, (Jan. 1, 2014).

JP Series: Video Intercom with 7-inch Touchscreen, (Jan. 1, 2014).

Axis Communications, Press Release, Apr. 13, 2015, “Axis announces its first video door station for identification and entry management”, Axis A8004-VE Network Video Door Station.

Axis Communications, Axis A-8004-VE Network Video Door Station, Apr. 2015.

Aiphone JKS-1AD Audio/Video Single-Door Intercom Set, Includes Power Supply and Surface-Mount Door Station, (Jan. 1, 2014).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7