



US00D806828S

(12) **United States Design Patent**
Toshida et al.

(10) **Patent No.:** **US D806,828 S**

(45) **Date of Patent:** **** Jan. 2, 2018**

(54) **IONIZER CONTROLLER MODULE**

(71) Applicant: **SMC CORPORATION**, Chiyoda-Ku (JP)

(72) Inventors: **Takayuki Toshida**, Tsukubamirai (JP);
Tomokazu Hariya, Tsukubamirai (JP);
Naoto Sasada, Tsukubamirai (JP)

(73) Assignee: **SMC CORPORATION**, Chiyoda-Ku (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/574,904**

(22) Filed: **Aug. 19, 2016**

(30) **Foreign Application Priority Data**

Feb. 19, 2016 (CN) 2016 3 0047741

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/207; D13/162**

(58) **Field of Classification Search**
USPC D23/209; 210/232, 234, 282, 223, 435,
210/241; 202/81, 83; D13/162
CPC C02F 1/003; C02F 1/42; B01D 19/0031;
B01D 35/30; B01D 35/12; B01D 35/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D273,411 S * 4/1984 Johnson D23/207
D273,412 S * 4/1984 Johnson D23/207
D273,694 S * 5/1984 Johnson D23/207
D307,741 S * 5/1990 Gilbert D13/162
4,956,081 A * 9/1990 Hodgkins B01D 35/26
210/136
D525,211 S * 7/2006 Tanabe D13/123

D557,373 S * 12/2007 Terada D23/207
D594,952 S * 6/2009 Orihara D23/366
D636,840 S * 4/2011 Yasuoka D23/207
D636,841 S * 4/2011 Yasuoka D23/207

* cited by examiner

Primary Examiner — Robin V Webster
(74) *Attorney, Agent, or Firm* — Oblon, McClelland,
Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for an ionizer controller module, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, left side perspective view of an ionizer controller module according to a first embodiment of our design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a bottom elevational view thereof;

FIG. 7 is a top elevational view thereof;

FIG. 8 is a front, bottom, right side perspective view thereof;

FIG. 9 is a back, bottom, left side perspective view thereof;

FIG. 10 is a front, top, left side perspective view of an ionizer controller module according to a second embodiment of our design;

FIG. 11 is a front elevational view thereof;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a right side elevational view thereof;

FIG. 14 is a left side elevational view thereof;



FIG. 15 is a bottom elevational view thereof;

FIG. 16 is a top elevational view thereof;

FIG. 17 is a front, bottom, right side perspective view thereof; and,

FIG. 18 is a back, bottom, left side perspective view thereof.

1 Claim, 18 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18