



US00D806849S

(12) **United States Design Patent**
Ramberg

(10) **Patent No.:** **US D806,849 S**
(45) **Date of Patent:** **** Jan. 2, 2018**

(54) **AFTERTREATMENT DEVICE FOR AN EXHAUST TREATMENT SYSTEM**

(71) Applicant: **Charles E. Ramberg**, Karlstad (SE)

(72) Inventor: **Charles E. Ramberg**, Karlstad (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/467,737**

(22) Filed: **Sep. 23, 2013**

Related U.S. Application Data

(62) Division of application No. 29/364,869, filed on Jun. 29, 2010, now Pat. No. Des. 692,115.

(51) **LOC (11) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/365**

(58) **Field of Classification Search**
USPC D23/365, 209, 363, 358, 386, 354, 341,
D23/364, 366; 55/385.3, 502, 497, 506,
55/505, 521, 495, 422, 493, DIG. 30;
210/435, 130, 136, 248, 339, 448, 452,
210/497.1; D32/31; D15/5
CPC B01D 46/0002; B01D 46/0004; B01D
46/0005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,621 S * 9/1975 Howard D23/366
D365,230 S * 12/1995 Tange D12/426.1

D366,934 S * 2/1996 Asselbergs D23/411
6,328,083 B1 * 12/2001 Esterson et al. 150/154
D457,617 S * 5/2002 Chiang D23/372
D470,584 S * 2/2003 Elwell et al. D23/406
D474,280 S * 5/2003 Niedbala et al. D24/232
D538,882 S * 3/2007 Benecke D23/207
D562,600 S * 2/2008 Diekman D6/691.3
D568,941 S * 5/2008 Elmer et al. D20/10
D590,491 S * 4/2009 Kirk et al. D23/403
D592,741 S * 5/2009 Miura D23/372
7,635,298 B2 * 12/2009 Henneberry 454/307

* cited by examiner

Primary Examiner — David G Muller

(74) *Attorney, Agent, or Firm* — Bresbo AB


(57) **CLAIM**

The ornamental design for an aftertreatment device for an exhaust treatment system, as shown and described.

DESCRIPTION

FIG. 1 is a left view of the aftertreatment device for an exhaust treatment system;
FIG. 2 is a right view of the aftertreatment device for an exhaust treatment system of FIG. 1;
FIG. 3 is a front view of the aftertreatment device for an exhaust treatment system of FIG. 1;
FIG. 4 is a top view of the aftertreatment device for an exhaust treatment system of FIG. 1; and,
FIG. 5 is a perspective view of the aftertreatment device for an exhaust treatment system of FIG. 1.
The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5