



US00D807133S

(12) **United States Design Patent**
Tunney

(10) **Patent No.:** **US D807,133 S**
(45) **Date of Patent:** **** Jan. 9, 2018**

- (54) **CAP CATCH**
- (71) Applicant: **KEYSMART LLC**, Broadview, IL (US)
- (72) Inventor: **Michael Tunney**, Mount Prospect, IL (US)
- (73) Assignee: **Curv Brands, LLC**, Elk Grove Village, IL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/575,670**
- (22) Filed: **Aug. 26, 2016**
- (51) **LOC (11) Cl.** **07-06**
- (52) **U.S. Cl.**
USPC **D8/40**
- (58) **Field of Classification Search**
USPC D8/18, 33, 38, 40, 356; D1/106, 111; D3/207, 208, 210; D21/319, 358, 478, D21/598, 599, 708, 733, 759; D9/600; 53/363; 30/400, 409-411; 81/3.55, 3.57; 7/169
CPC B67B 7/00; B67B 7/04; B67B 7/06; B67B 7/14; B67B 7/16; B67B 7/20; B67B 7/24; B67B 7/30; B67B 7/38; B67B 7/44; B67B 7/182; B67B 7/403; B67B 2201/012; B67B 2201/17; B67B 1/00
See application file for complete search history.

4,309,921	A *	1/1982	Miller	B67B 7/403
					220/274
4,373,246	A *	2/1983	VanHoutte	B67B 7/403
					29/426.4
D380,948	S *	7/1997	Smith	D8/33
D391,134	S *	2/1998	Laib	D8/33
D394,790	S *	6/1998	Joergensen	D8/33
D420,265	S *	2/2000	Pierce	D8/18
D455,059	S *	4/2002	Stirling	D8/40
D456,227	S *	4/2002	Tse	D8/33
D479,967	S *	9/2003	Schulein	D8/40
D693,660	S *	11/2013	Hackett	D8/18
8,607,668	B1 *	12/2013	Frank	B67B 7/16
					81/3.09
D735,544	S *	8/2015	Fire	D8/40
D751,360	S *	3/2016	Oakley	D8/18
D780,546	S *	3/2017	Kieu	D8/40

* cited by examiner

Primary Examiner — Wan Laymon
Assistant Examiner — Clint A Samuel
(74) *Attorney, Agent, or Firm* — Maxwell J. Petersen;
Lewis Brisbois Bisgaard & Smith

(57) **CLAIM**


The ornamental design for a cap catch, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the cap catch according to the invention.
FIG. 2 is a top view of the cap catch.
FIG. 3 is a bottom view of the cap catch.
FIG. 4 is a left side view of the cap catch.
FIG. 5 is a right side view of the cap catch.
FIG. 6 is a left end view of the cap catch; and,
FIG. 7 is a right end view of the cap catch.
Features shown in broken lines illustrate the environmental structure and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D42,368 S * 3/1912 Mossberg 81/3.55
D51,962 S * 4/1918 Januchowsky 81/3.55
D92,795 S * 7/1934 Ebert D8/38
D137,526 S * 3/1944 Rashi D8/40






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7