

US00D807371S

(12) **United States Design Patent** (10) **Patent No.:** **US D807,371 S**
Bertelle (45) **Date of Patent:** **** Jan. 9, 2018**

(54) **SUPPORT FOR PORTABLE ELECTRONIC DEVICES**

(71) Applicant: **LINO MANFROTTO + CO. S.P.A.**,
Cassola (VI) (IT)

(72) Inventor: **Alessandro Bertelle**, Bassano Del
Grappa (IT)

(73) Assignee: **LINO MANFROTTO + CO. S.P.A.**,
Cassola (VI) (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/569,678**

(22) Filed: **Jun. 29, 2016**

(30) **Foreign Application Priority Data**

Dec. 29, 2015 (EM) 002928606-0001

Dec. 29, 2015 (EM) 002928606-0002

Jun. 23, 2016 (EM) 003236033

(51) **LOC (11) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D14/447**

(58) **Field of Classification Search**
USPC D14/447, 432, 434, 439, 440, 451, 452,
D14/457, 239; D8/363, 373, 380, 406.3,
D8/406.4, 406.5, 406.6; D12/415
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D614,631 S * 4/2010 Chiang D14/447
D630,222 S * 1/2011 Lin D14/447

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Kristina Castellano;
Castellano PLLC

(57) **CLAIM**

The ornamental design for support for portable electronic devices, as shown and described.

DESCRIPTION

FIG. 1 depicts a front plan view of a first embodiment of a support for portable electronic devices showing my present design in a closed position;

FIG. 2 is a rear plan view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view from the right thereof;

FIG. 8 is a front perspective view from the right thereof;

FIG. 9 is a perspective view from the right of the support of FIG. 1, in an open and extracted position;

FIG. 10 is a front perspective view from the right of the support of FIG. 1, in an open and extracted position;

FIG. 11 is a perspective view from the left of the support of FIG. 1, in an open and extracted position;

FIG. 12 is a perspective view from the bottom of the support of FIG. 1, in an open and extracted position;

FIG. 13 is a perspective view from the bottom of the support of FIG. 1, in an open and extracted position;

FIG. 14 depicts a front plan view of a second embodiment of a support for portable electronic devices showing my present design in a closed position;

FIG. 15 is a rear plan view of the support of FIG. 14;

FIG. 16 is a left side view of the support of FIG. 14;

FIG. 17 is a right side view of the support of FIG. 14;

FIG. 18 is a top plan view of the support of FIG. 14;

FIG. 19 is a bottom plan view of the support of FIG. 14;

FIG. 20 is a front perspective view from the right of the support of FIG. 14;

FIG. 21 is a front perspective view from the right of the support of FIG. 14, in an open and extracted position;

FIG. 22 is a perspective view from the left of the support of FIG. 14, in an open and extracted position;

FIG. 23 is a perspective view from the left of the support of FIG. 14, in an open and extracted position;

(Continued)




FIG. 24 depicts a front plan view of a third embodiment of a support for portable electronic devices showing my present design in a closed position;
FIG. 25 depicts a rear plan view of the support of FIG. 24;
FIG. 26 depicts a left side view of the support of FIG. 24;
FIG. 27 depicts a top perspective view of the support of FIG. 24;
FIG. 28 depicts a front perspective view from the right of the support of FIG. 24;
FIG. 29 depicts a perspective view from the right of the support of FIG. 24, in an open and extracted position;
FIG. 30 depicts a view from the left of the support of FIG. 24, in an open and extracted position;
FIG. 31 depicts a perspective view from the left of the support of FIG. 24, in an open and extracted position;
FIG. 32 depicts a right side view of the support of FIG. 24; and,
FIG. 33 depicts a bottom perspective view of the support of FIG. 24.
FIGS. 1-33 depict my present design for support for portable electronic devices in both open and closed configurations, from various perspectives.
The Figures depict certain shading and potentially denote color. The present application should not be deemed limited, however, to any particular color.

1 Claim, 33 Drawing Sheets

(58) **Field of Classification Search**
CPC A47B 21/04; A47B 2097/006; A47B
2097/005; A47B 2023/049; A45C
2011/002; A45C 2011/003; F16M
2200/00; F16M 13/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D663,735	S	*	7/2012	Musselman	D14/253
D684,980	S	*	6/2013	Chun	D14/447
D685,804	S	*	7/2013	Richter	D14/253
D689,057	S	*	9/2013	Waterman	D14/447
D708,603	S	*	7/2014	Kim	D14/253
D717,307	S	*	11/2014	Chun	D14/447
D748,099	S	*	1/2016	Heid	D14/447
D751,431	S	*	3/2016	Browning	D10/74
D753,126	S	*	4/2016	Alesi	D14/447
D785,638	S	*	5/2017	Hsu	D14/447
2005/0236536	A1	*	10/2005	Fan	B60R 11/02 248/176.3

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15



FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29



FIG. 30




FIG. 31



FIG. 32




FIG. 33

