

US00D807402S

(12) **United States Design Patent** (10) **Patent No.:** **US D807,402 S**
Flora et al. (45) **Date of Patent:** **** Jan. 9, 2018**

(54) **PORTABLE AIR INFLATION DEVICE**

(71) Applicants: **Vernon L. Flora**, Norfolk, VA (US);
Don Armson, Kingsburg, CA (US)

(72) Inventors: **Vernon L. Flora**, Norfolk, VA (US);
Don Armson, Kingsburg, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,362**

(22) Filed: **Mar. 16, 2016**

(51) **LOC (11) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**
USPC D15/7-9; D23/231, 232, 225; 417/60,
417/235, 265, 321, 355, 358, 363, 359,
417/410.1, 415-416, 405, 900; 60/408,
60/412; 184/26-37; 415/140-147;
123/495, 509; 141/197; D32/15;
15/330, 405

CPC F02M 37/04; F02M 37/14; F04B 53/92;
F04B 1/005; F04B 53/02; F16J 15/324

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D263,547 S * 3/1982 Carsello 15/405
4,694,528 A * 9/1987 Comer A47L 5/14
15/330
D295,522 S * 5/1988 Martin D15/7
D301,245 S * 5/1989 Hefling D15/7
D307,655 S * 5/1990 Hinklin D32/15
5,806,572 A 9/1998 Voller
D405,806 S * 2/1999 Poon D15/7
D422,601 S * 4/2000 Bonzer D15/7
D425,914 S * 5/2000 Tsai D15/7

D431,697 S * 10/2000 Hayakawa D32/15
D453,342 S * 2/2002 Wu D15/7
D453,524 S * 2/2002 Wu D15/7
D486,159 S * 2/2004 Poon D15/7
D491,196 S * 6/2004 Poon D15/7
D553,646 S * 10/2007 Wu D15/7
D555,669 S * 11/2007 Preston D15/7
D557,709 S * 12/2007 Preston D15/7
D559,269 S * 1/2008 Wu D15/7
7,770,612 B1 8/2010 Brown
7,913,724 B2 3/2011 Pansegrouw
7,980,799 B1 7/2011 Rioux
D723,587 S * 3/2015 Park D15/7
2015/0034196 A1 2/2015 Petrucci
2015/0375670 A1 12/2015 Beard

* cited by examiner

Primary Examiner — Ralf T Seifert

(74) *Attorney, Agent, or Firm* — Quickpatents, LLC;
Kevin Prince


(57) **CLAIM**

We claim the ornamental design for a portable air inflation device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a portable air inflation device, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left-side elevational view thereof;
FIG. 5 is a right-side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a bottom perspective view thereof.
The broken lines are included for the purpose of illustrating portions of the portable air inflation device that form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8