



US00D807414S

(12) **United States Design Patent** (10) **Patent No.:** **US D807,414 S**
Maguire (45) **Date of Patent:** **** Jan. 9, 2018**

(54) **TOWER CONFIGURATION GRAVIMETRIC BLENDER**

(71) Applicant: **Stephen B. Maguire**, West Chester, PA (US)

(72) Inventor: **Stephen B. Maguire**, West Chester, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/580,163**

(22) Filed: **Oct. 6, 2016**

(51) LOC (11) Cl. **15-09**

(52) U.S. Cl.

USPC **D15/135; D15/147**

(58) **Field of Classification Search**

USPC D15/135, 136, 147

CPC B01F 3/18; B01F 15/02; B01F 15/0201;
B01F 15/0445; B01F 15/00805; G01G
13/02; G01G 13/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | | |
|----------------|---------|-----------|-------------------------|
| 4,108,334 A * | 8/1978 | Moller | B29C 47/1009
222/136 |
| D258,213 S * | 2/1981 | Lydford | D15/147 |
| D294,363 S * | 2/1988 | Donhauser | D15/147 |
| 4,756,348 A * | 7/1988 | Moller | B65D 90/626
141/128 |
| D303,672 S * | 9/1989 | Stienen | D15/147 |
| 5,148,943 A * | 9/1992 | Moller | B01F 15/0251
177/50 |
| 5,252,008 A * | 10/1993 | May, III | B29C 31/02
209/215 |
| 5,651,401 A * | 7/1997 | Cados | B65B 1/36
141/103 |
| D424,587 S * | 5/2000 | Maguire | D10/87 |
| 6,188,936 B1 * | 2/2001 | Maguire | B01F 3/18
222/57 |

6,467,943 B1 * 10/2002 Maguire B01F 7/00175
141/83

D575,314 S * 8/2008 Hind D15/147

D612,878 S * 3/2010 Meter D15/147

D633,119 S * 2/2011 Mackel D15/147

8,092,070 B2 * 1/2012 Maguire B01F 3/184
366/141

2007/0291578 A1 * 12/2007 Maguire B01F 3/184
366/76.91

2015/0290607 A1 * 10/2015 Tolle B01F 7/00133
366/199

2016/0346745 A1 * 12/2016 Mothersbaugh B01F 5/10

2017/0297830 A1 * 10/2017 Donohoo B65G 53/26

* cited by examiner

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP

(57) **CLAIM**

The ornamental design for a tower configuration gravimetric blender, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view showing the left side, the front, and the top of the tower configuration gravimetric blender of the invention.

FIG. 2 is an elevation view of the front end of the tower configuration gravimetric blender of the invention.

FIG. 3 is an elevation view of the rear end of the tower configuration gravimetric blender of the invention.


FIG. 4 is a left side elevation of the tower configuration gravimetric blender of the invention.

FIG. 5 is a right side elevation of the tower configuration gravimetric blender of the invention.

FIG. 6 is a top view of the tower configuration gravimetric blender of the invention; and,

FIG. 7 is a bottom view of the tower configuration gravimetric blender of the invention.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7