



US00D807536S

(12) **United States Design Patent** (10) **Patent No.:** **US D807,536 S**
Fei (45) **Date of Patent:** ** **Jan. 9, 2018**

(54) **LED LIGHT**(71) Applicant: **JIAXING SUPER LIGHTING ELECTRIC APPLIANCE CO., LTD,**
Jiaxing (CN)(72) Inventor: **Heping Fei**, Jiaxing (CN)(73) Assignee: **JIAXING SUPER LIGHTING ELECTRIC APPLIANCE CO., LTD,**
Jiaxing (CN)(**) Term: **15 Years**(21) Appl. No.: **29/577,202**(22) Filed: **Sep. 9, 2016**(30) **Foreign Application Priority Data**

Mar. 17, 2016 (CN) 2016 3 0076623

(51) LOC (11) Cl. **26-04**

(52) U.S. Cl.

USPC **D26/2**(58) **Field of Classification Search**USPC D26/1-4; 313/313, 315, 316, 317, 318,
313/493; 315/52, 53, 56, 57, 58CPC H01R 5/00; H01R 13/46; H01R 13/514;
H01R 31/048; H01R 31/02; H01J 5/00;
H01J 5/16; H01J 15/00; H01J 5/48; H01J
5/50; H01J 19/54; F21V 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D542,943 S * 5/2007 Wang D26/2
D546,980 S * 7/2007 Lo D26/2
D549,854 S * 8/2007 Takahashi D26/2
D566,300 S * 4/2008 Lo D26/2

(Continued)

Primary Examiner — Marcus Jackson

(74) Attorney, Agent, or Firm — Ding Yu Tan

(57) **CLAIM**

The ornamental design for a LED light, as shown and described above.

DESCRIPTION

FIG. 1 is a perspective view of a LED light showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5A is a right side elevational view thereof;

FIG. 5B is a right side partial cross-sectional view thereof;

FIG. 6 is a front elevational view thereof; and,

FIG. 7 is a rear elevational view thereof.

The shade lines (continuous solid lines of reduced opacity) in the figures show surface contour but not surface ornamentation. Stipplings in the figures also show surface contour but not surface ornamentation. The broken lines are environmental and form no part of the claimed design. The partial cross-sectional view in FIG. 5B shows hatching for indicating the material of the upper portion (on the left in the figure) of a bulb housing is made of plastic and for indicating the material of the lower portion (on the right in the figure) of the bulb housing is made of metal such as aluminum. The plane upon which the partial sectional view is taken is indicated in FIG. 7 from which the section is cut by a broken line. The ends of the broken line of the cross section is designated by "A" corresponding to the view number of the partial sectional view of FIG. 5B, and have arrows to indicate the direction of sight. The partial cross-sectional view is limited to show just a portion of the bulb housing, but not entirety thereof. The ornamental design is of shape and exterior structure of the LED light. As a result, the overall shape of the LED light is more aesthetically pleasing and of possessing design uniqueness.

1 Claim, 8 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D593,223 S * 5/2009 Komar D26/2
D647,646 S * 10/2011 Tsung D26/2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B




FIG. 6




FIG. 7