



US00D808269S

(12) **United States Design Patent** (10) **Patent No.:** **US D808,269 S**
Colombo (45) **Date of Patent:** **** Jan. 23, 2018**

(54) **CONTAINER**

B65D 25/2811; B65D 25/2808; B65D
25/2805; B65D 1/20; B65D 21/0231

(71) Applicant: **Conopco, Inc.**, Englewood Cliffs, NJ
(US)

See application file for complete search history.

(72) Inventor: **Silvio Colombo**, Buenos Aires (AR)

(56) **References Cited**

(73) Assignee: **Conopco, Inc.**, Englewood Cliffs, NJ
(US)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

(21) Appl. No.: **29/570,173**

(22) Filed: **Jul. 6, 2016**

(30) **Foreign Application Priority Data**

Jan. 8, 2016 (EM) 002938084-0001

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/530**; D9/565

(58) **Field of Classification Search**

USPC D9/651, 658, 523–524, 528, 530–535,
D9/548, 549–550, 574, 575, 520, 522,
D9/526, 527, 553, 555, 556, 557,
D9/563–570, 742, 516, 719, 536, 543,
D9/552, 542, 558, 571; 215/381–385, 10;
220/660, 669, 679, 752; D23/211.1, 225;
206/510; D7/612

CPC B65D 23/00; B65D 23/10; B65D 1/00;
B65D 1/02; B65D 21/00; B65D 21/02;
B65D 21/0201; B65D 21/0209; B65D
21/0233; B65D 21/0234; B65D 21/0237;
B65D 1/10; B65D 1/40; B65D 1/42;
B65D 11/04; B65D 2501/0081; B65D
2101/0053; B65D 1/0223; B65D 25/282;

D236,432	S	*	8/1975	O'Brien		D9/542
D380,159	S	*	6/1997	Lathrop		D9/545
D431,471	S	*	10/2000	Large		D9/523
D468,643	S	*	1/2003	Kuzma		D9/552
D538,673	S	*	3/2007	Sterling		D9/552
D538,674	S	*	3/2007	Sterling		D9/552
D578,398	S	*	10/2008	Kuzma		D9/539
D589,810	S	*	4/2009	van der Krogt		D9/435
D617,202	S	*	6/2010	Kuzma		D9/542
D632,582	S	*	2/2011	Kuzma		D9/530
D745,404	S	*	12/2015	Julier		D9/521
D746,146	S	*	12/2015	Wilkum		D9/535
D766,088	S	*	9/2016	Weber		D9/529

FOREIGN PATENT DOCUMENTS

CN 303956986 * 12/2016

OTHER PUBLICATIONS

Co-pending Application: Applicant: Colombo; Filed: Jul. 6, 2016.

* cited by examiner

Primary Examiner — Anhdao Doan

Assistant Examiner — Mary Malley

(74) *Attorney, Agent, or Firm* — Karen E. Klumas

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and side perspective view of a container showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

(Continued)




FIG. **5** is a right side elevational view thereof;
FIG. **6** is a top plan view thereof; and,
FIG. **7** is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7