



US00D808289S

(12) **United States Design Patent**  
**Kim**

(10) **Patent No.:** **US D808,289 S**  
(45) **Date of Patent:** **\*\* Jan. 23, 2018**

(54) **CLIP TYPE PORTABLE RF BEACON TRANSMITTER**

(71) Applicant: **Hello Factory Co., Ltd.**, Seoul (KR)

(72) Inventor: **Kyung Min Kim**, Seoul (KR)

(73) Assignee: **HELLO FACTORY CO., LTD.** (KR)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/573,794**

(22) Filed: **Aug. 9, 2016**

(30) **Foreign Application Priority Data**

Jul. 25, 2016 (KR) ..... 30-2016-0036319

(51) **LOC (11) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/104.1**

(58) **Field of Classification Search**

USPC ..... D10/65, 70, 104.1, 106.1, 106.9, 106.92,  
D10/106.93, 121; D14/137, 230, 496  
CPC .... G08B 13/14; G08B 13/2434; G08B 21/00;  
G08B 21/0261; G08B 21/0275; G09F  
3/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D553,038 S \* 10/2007 Robinson ..... D10/104.1  
D565,599 S \* 4/2008 Jang ..... D14/496  
D582,417 S \* 12/2008 Sheba ..... D14/217  
D589,963 S \* 4/2009 Sheba ..... D14/217  
7,839,627 B2 \* 11/2010 Tanaka ..... H04M 1/0279  
235/472.01  
D631,058 S \* 1/2011 Chin ..... D14/480.7

D661,211 S \* 6/2012 Hou ..... D10/104.1  
D676,404 S \* 2/2013 Lin ..... D14/138 AA  
D678,876 S \* 3/2013 Andre ..... D14/341  
D691,152 S \* 10/2013 Meisel ..... D14/385  
D692,400 S \* 10/2013 Ni ..... D10/104.1  
D705,107 S \* 5/2014 Corso ..... D10/106.1  
D713,421 S \* 9/2014 Kaneta ..... D14/496  
D734,194 S \* 7/2015 Kastner ..... D10/106.92  
D770,998 S \* 11/2016 Kwak ..... D14/138 AA  
D781,847 S \* 3/2017 Kim ..... D14/341

\* cited by examiner

*Primary Examiner* — George D. Kirschbaum

*Assistant Examiner* — Joseph J Kukella

(74) *Attorney, Agent, or Firm* — Renaissance IP Law Group LLP

(57) **CLAIM**

The ornamental design for a clip type portable RF beacon transmitter, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing a three-dimensional appearance of the present design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a plan view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is an exploded perspective view showing a state in which the transmitter body and the clip plate of the present design are separated from each other.

In the drawings, the broken lines are for the purposes of illustrating environment only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

