



US00D808343S

(12) **United States Design Patent**  
**Yin et al.**

(10) **Patent No.:** **US D808,343 S**  
(45) **Date of Patent:** **\*\* Jan. 23, 2018**

(54) **REMOTE CONTROLLER**

(71) Applicant: **TCL AIR CONDITIONER (ZHONGSHAN) CO., LTD.**,  
Zhongshan, Guangdong (CN)

(72) Inventors: **Baochen Yin**, Guangdong (CN);  
**Yuqiang Yao**, Guangdong (CN); **Peng Su**,  
Guangdong (CN); **Yaobiao Jin**, Guangdong (CN);  
**Yourong Yu**, Guangdong (CN); **Shengxin Huang**,  
Guangdong (CN)

(73) Assignee: **TCL AIR CONDITIONER (ZHONGSHAN) CO., LTD.**,  
Zhongshan (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/598,793**

(22) Filed: **Mar. 29, 2017**

(30) **Foreign Application Priority Data**

Sep. 29, 2016 (CN) ..... 2016 3 0489577

(51) **LOC (11) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D13/168**

(58) **Field of Classification Search**

USPC ..... D13/162, 168; D10/49, 50; D14/218  
CPC .... F24F 11/00; F24F 11/0012; F24F 11/0086;  
F24F 11/0009; F24F 2011/0057; F24F  
2011/0073; F24F 2011/0091; G05B  
19/0426; G05B 19/409; G05B 15/02;  
G06F 1/1601; G06F 3/041; G06F 3/044;  
G06F 3/0482; G06F 3/0488; G06F  
3/0489; G05D 23/1902; G05D 23/1905;  
G05D 23/1931; G02F 1/33308; H01H  
9/02; H05B 37/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|           |      |         |             |       |                          |
|-----------|------|---------|-------------|-------|--------------------------|
| 6,015,274 | A *  | 1/2000  | Bias        | ..... | F04D 25/088<br>417/423.1 |
| 6,120,262 | A *  | 9/2000  | McDonough   | ..... | H05B 37/0272<br>318/16   |
| D543,971  | S *  | 6/2007  | d'Hoore     | ..... | D14/218                  |
| D546,782  | S *  | 7/2007  | Poulet      | ..... | D13/168                  |
| D567,803  | S *  | 4/2008  | Radivojevic | ..... | D14/218                  |
| D619,543  | S *  | 7/2010  | Nakai       | ..... | D13/168                  |
| D632,263  | S *  | 2/2011  | Lin         | ..... | D13/168                  |
| D636,353  | S *  | 4/2011  | Choi        | ..... | D13/168                  |
| D648,284  | S *  | 11/2011 | Kashimoto   | ..... | D13/168                  |
| 8,253,272 | B2 * | 8/2012  | Schulzman   | ..... | F04D 25/068<br>307/155   |
| D672,336  | S *  | 12/2012 | Lister      | ..... | D14/218                  |
| 8,378,618 | B2 * | 2/2013  | Zavodny     | ..... | H02P 23/0004<br>318/772  |
| D693,778  | S *  | 11/2013 | Sakai       | ..... | D13/168                  |
| D722,596  | S *  | 2/2015  | VanDuyn     | ..... | D14/218                  |
| D760,702  | S *  | 7/2016  | Sul         | ..... | D14/218                  |
| D771,597  | S *  | 11/2016 | Akana       | ..... | D14/218                  |

(Continued)

*Primary Examiner* — Selina Sikder

(57) **CLAIM**

The ornamental design for a remote controller, as shown and described.

**DESCRIPTION**

FIG. 1 is a first perspective view of a remote controller showing our new design;  
FIG. 2 is a second perspective view thereof;  
FIG. 3 is a third perspective view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a left side view thereof;  
FIG. 7 is a right side view thereof;  
FIG. 8 is a top plan view thereof; and,  
FIG. 9 is a bottom plan view thereof.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

9,508,251 B1 \* 11/2016 Byrne ..... G08C 17/02  
D797,686 S \* 9/2017 McRoberts ..... D13/168  
D801,940 S \* 11/2017 Aketa ..... D13/168

\* cited by examiner



Fig. 1






Fig. 2



Fig. 3






Fig. 4





Fig. 5




Fig. 6






Fig. 7




Fig. 8






Fig. 9