



US00D808532S

(12) **United States Design Patent**
Richey

(10) **Patent No.:** **US D808,532 S**
(45) **Date of Patent:** **** Jan. 23, 2018**

(54) **POSITIONING DEVICE FOR AN IMAGING SYSTEM**

(71) Applicant: **Cassemco, Inc.**, Cookeville, TN (US)

(72) Inventor: **David Adam Richey**, Cookeville, TN (US)

(73) Assignee: **CASSEMCO, INC.**, Cookeville, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/510,165**

(22) Filed: **Nov. 25, 2014**

(51) **LOC (11) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/183**

(58) **Field of Classification Search**
USPC D6/601; D24/143, 171, 183–185, 188, D24/190, 200
CPC ... A61B 8/40; A61B 19/203; A61B 2017/681; A61B 5/702; A61B 5/704; A61B 5/706; A61B 5/708; A61B 6/04; A61B 5/150748; A47C 20/027; A47C 20/025; A47G 9/10; A47G 2009/1018; A61G 13/0036; A61F 5/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D254,029 S *	1/1980	Barbagallo	5/636
D276,938 S *	12/1984	Pedersen	5/636
4,821,355 A *	4/1989	Burkhardt	A47G 9/10 5/636
D306,245 S *	2/1990	Akhtarekhavari	297/391
5,016,303 A *	5/1991	Tanaka	A47G 9/10 5/636
D370,066 S *	5/1996	Kennemore	D24/183

(Continued)

OTHER PUBLICATIONS

No-Slip Wedges [online]. RehabMart, 2016 [retrieved on Sep. 12, 2016]. Retrieved from the Internet:<<http://www.rehabmart.com/product/noslip-wedges-34826.html> >.*

Primary Examiner — Mary Ann Calabrese

Assistant Examiner — Sloan Rozin

(74) *Attorney, Agent, or Firm* — Hanley, Flight and Zimmerman, LLC

(57) **CLAIM**

The ornamental design for a positioning device for an imaging system, substantially as shown and described.

DESCRIPTION

A portion of the disclosure of this patent document contains material which is subject to copyright protection by Cassemco, Inc. The copyright owner has no objection to the photocopy reproduction by anyone of the patent document for the patent disclosure in exactly the form it appears in the USPTO patent file or records, but otherwise reserves all copyright rights whatsoever.


FIG. 1 is a front perspective view of a positioning device. FIG. 2 is a back perspective view of the positioning device of FIG. 1.

FIG. 3 is a front view of the positioning device of FIG. 1. FIG. 4 is a back view of the positioning device of FIG. 1. FIG. 5 is a first end view of the positioning device of FIG. 1.

FIG. 6 is a second end view of the positioning device of FIG. 1.

FIG. 7 is a top view of the positioning device of FIG. 1; and, FIG. 8 is a bottom view of the positioning device of FIG. 1. The broken lines showing areas of the positioning device for an imaging system illustrate portions of the article and do not form part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D410,744 S *	6/1999	Banister	D24/183
D663,426 S *	7/2012	Davis, III	D24/183
D664,256 S *	7/2012	Dennewald	D24/183
D736,397 S *	8/2015	McAviney	D24/200
D736,938 S *	8/2015	Lementec	D24/200
D739,036 S *	9/2015	McAviney	D24/200
D764,062 S *	8/2016	Dennewald	D24/183

* cited by examiner




FIG. 1

© 2014 Cassemco, Inc.




FIG. 2

© 2014 Cassemco, Inc.




FIG. 3

© 2014 Cassemco, Inc.




FIG. 4

© 2014 Cassemco, Inc.




FIG. 5

© 2014 Cassemco, Inc.




FIG. 6

© 2014 Cassemco, Inc.




FIG. 7

© 2014 Cassemco, Inc.




FIG. 8

© 2014 Cassemco, Inc.