



US00D808791S

(12) **United States Design Patent** (10) **Patent No.:** **US D808,791 S**
Johnston et al. (45) **Date of Patent:** **** Jan. 30, 2018**

- (54) **HARD SHELL, MULTI-ARTICLE, RECLOSABLE PACKAGE**
- (71) Applicant: **Wm. Wrigley Jr. Company**, Chicago, IL (US)
- (72) Inventors: **Rory Johnston**, Hampshire (GB);
Narut Ruthiraphong, London (GB);
Hayley Woolford, Hampshire (GB)
- (73) Assignee: **WM. WRIGLEY JR. COMPANY**, Chicago, IL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/530,262**
- (22) Filed: **Jun. 15, 2015**
- (51) **LOC (11) Cl.** **09-03**
- (52) **U.S. Cl.**
USPC **D9/420**
- (58) **Field of Classification Search**
USPC D9/420, 414, 416, 423, 434, 430, 418,
D9/421, 529, 516; D28/38, 83, 76, 7, 66;
D24/224; 206/259
CPC B65D 85/1045
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D364,344 S *	11/1995	Shaw	D9/421
D367,608 S *	3/1996	Stranders	D9/529
D493,576 S *	7/2004	Ward	D28/66
D499,019 S *	11/2004	Sagmeister	D9/418
D542,664 S *	5/2007	Mayers	D9/529
D544,150 S *	6/2007	Aledo	D28/66
D569,720 S *	5/2008	Lablaine	D9/420
D572,594 S *	7/2008	Shook	D9/516
D575,636 S *	8/2008	Krautter	D9/420
D594,321 S *	6/2009	Tanaka	D9/420
D611,806 S *	3/2010	Bried	D9/420

D616,753 S *	6/2010	Beam	D9/420
D624,400 S *	9/2010	Wichowski	D9/420
D637,074 S *	5/2011	Maki	D9/417
D663,893 S *	7/2012	Hosler	D28/7
D672,642 S *	12/2012	Supranowicz	D9/420
D694,100 S *	11/2013	Schneider	D24/224
D700,397 S *	2/2014	Manca	D27/189
D712,594 S *	9/2014	Heilman	D28/76
D723,912 S *	3/2015	Shigeno	D9/420
D729,056 S *	5/2015	She	D9/420
D729,057 S *	5/2015	She	D9/420
D737,505 S *	8/2015	Liu	D27/189
D737,506 S *	8/2015	Liu	D27/189
D748,466 S *	2/2016	Martin	D9/420
D748,467 S *	2/2016	Angeloni	D9/420

(Continued)

Primary Examiner — Rhea Shields

(57) **CLAIM**

We claim the ornamental design for a hard shell, multi-article, reclosable package, as substantially shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a hard shell, multi-article, reclosable package in accordance with the present design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right side elevation view. The left side being a mirror image thereof; and

FIG. 5 is a rear elevation view thereof.

FIG. 6 is a another top front perspective view of the reclosable package shown in FIG. 1 and with the lid in a closed position;


FIG. 7 is a front elevation view thereof;

FIG. 8 is a top view thereof;

FIG. 9 is a right side elevation view. The left side being a mirror image thereof; and,

FIG. 10 is a rear elevation view thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D752,282 S *	3/2016	Doster	D27/189
D752,283 S *	3/2016	Doster	D27/189
D752,284 S *	3/2016	Doster	D27/189
D752,285 S *	3/2016	Doster	D27/189
D752,286 S *	3/2016	Doster	D27/189
D752,808 S *	3/2016	Hearn	D27/189
D752,970 S *	4/2016	Giraud	D9/420
D760,431 S *	6/2016	Liu	D27/189
D762,466 S *	8/2016	Angeloni	D9/420
D777,044 S *	1/2017	Lehmann	D9/418

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10