



US00D808792S

(12) **United States Design Patent** (10) **Patent No.:** **US D808,792 S**
Jaggi et al. (45) **Date of Patent:** **** Jan. 30, 2018**

- (54) **HARD SHELL, MULTI-ARTICLE, RECLOSABLE PACKAGE**
- (71) Applicant: **Wm. Wrigley Jr. Company**, Chicago, IL (US)
- (72) Inventors: **David Jaggi**, Oak Park, IL (US); **Russell Stacy-Ryan**, Oak Park, IL (US); **Chris Cunningham**, Grays Lake, IL (US)
- (73) Assignee: **WM. WRIGLEY JR. COMPANY**, Chicago, IL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/530,804**
- (22) Filed: **Jun. 19, 2015**
- (51) **LOC (11) Cl.** **09-03**
- (52) **U.S. Cl.**
USPC **D9/420**
- (58) **Field of Classification Search**
USPC D9/420, 414, 416, 423, 434, 430, 418, D9/421, 529, 516; D28/38, 83, 76, 7, 66; D24/224; 206/259

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D364,344 S * 11/1995 Shaw D9/421
- D367,608 S * 3/1996 Stranders D9/529

(Continued)

Primary Examiner — Rhea Shields

(57) **CLAIM**

The ornamental design for a hard shell, multi-article, reclosable package, as substantially shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a hard shell, multi-article, reclosable package, showing our new design and with the lid and package in a closed position;

FIG. 2 is a front perspective view of a reclosable packaging shown in FIG. 1 with the reclosable lid in an opened position.

FIG. 3 is a side perspective view of the reclosable packaging shown in FIG. 1 in an unfolded configuration.

FIG. 4 is a top view of the reclosable packaging shown in FIG. 1.

FIG. 5 is a bottom view of the reclosable packaging shown in FIG. 1.

FIG. 6 is a front elevational view of the reclosable packaging shown in FIG. 1.

FIG. 7 is a rear elevational view of the reclosable packaging shown in FIG. 1.

FIG. 8 is a left side elevational view of the reclosable packaging shown in FIG. 1.

FIG. 9 is a right side elevational view of the reclosable packaging shown in FIG. 1.

FIG. 10 is a front perspective view of a second embodiment of a hard shell, multi-article, reclosable package, showing our new design and with the lid and package in a closed position;

FIG. 11 is a top view of the reclosable packaging shown in FIG. 10.

FIG. 12 is a bottom view of the reclosable packaging shown in FIG. 10.

FIG. 13 is a front elevational view of the reclosable packaging shown in FIG. 10.


FIG. 14 is a rear elevational view of the reclosable packaging shown in FIG. 10.

FIG. 15 is a left side elevational view of the reclosable packaging shown in FIG. 10; and,

FIG. 16 is a right side elevational view of the reclosable packaging shown in FIG. 10.

FIGS. 1-16 are various views of a hard shell, multi-article, reclosable packaging in accordance with the present design. The reclosable packaging is adapted to contain multiple articles of a consumable product including confections such as mints. Features disclaimed with broken lines in the Figures indicate structure which forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(58) **Field of Classification Search**
 CPC B65D 85/1045
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D493,576 S *	7/2004	Ward	D28/66
D499,019 S *	11/2004	Sagmeister	D9/418
D542,664 S *	5/2007	Mayers	D9/529
D544,150 S *	6/2007	Aledo	D28/66
D569,720 S *	5/2008	Lablaine	D9/420
D572,594 S *	7/2008	Shook	D9/516
D575,636 S *	8/2008	Krautter	D9/420
D594,321 S *	6/2009	Tanaka	D9/420
D611,806 S *	3/2010	Bried	D9/420
D616,753 S *	6/2010	Beam	D9/420
D624,400 S *	9/2010	Wichowski	D9/420
D637,074 S *	5/2011	Maki	D9/417
D663,893 S *	7/2012	Hosier	D28/7
D672,642 S *	12/2012	Supranowicz	D9/420

D694,100 S *	11/2013	Schneider	D24/224
D700,397 S *	2/2014	Manca	D27/189
D712,594 S *	9/2014	Heilman	D28/76
D723,912 S *	3/2015	Shigeno	D9/420
D729,056 S *	5/2015	She	D9/420
D729,057 S *	5/2015	She	D9/420
D737,505 S *	8/2015	Liu	D27/189
D737,506 S *	8/2015	Liu	D27/189
D748,466 S *	2/2016	Martin	D9/420
D748,467 S *	2/2016	Angeloni	D9/420
D752,282 S *	3/2016	Doster	D27/189
D752,283 S *	3/2016	Doster	D27/189
D752,284 S *	3/2016	Doster	D27/189
D752,285 S *	3/2016	Doster	D27/189
D752,286 S *	3/2016	Doster	D27/189
D752,808 S *	3/2016	Hearn	D27/189
D752,970 S *	4/2016	Giraud	D9/420
D760,431 S *	6/2016	Liu	D27/189
D762,466 S *	8/2016	Angeloni	D9/420
D777,044 S *	1/2017	Lehmann	D9/418

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16