

US00D808796S

(12) **United States Design Patent** (10) **Patent No.:** **US D808,796 S**
Steel (45) **Date of Patent:** **** Jan. 30, 2018**

(54) **POWDER CONTAINER**
(71) Applicant: **Jeffrey Steel**, Hoboken, NJ (US)
(72) Inventor: **Jeffrey Steel**, Hoboken, NJ (US)
(73) Assignee: **Cotapaxi Custom Design and Manufacturing LLC**, Carlstadt, NJ (US)

D565,412 S * 4/2008 Fuller D9/454
D573,461 S * 7/2008 Karam D9/447
D593,811 S * 6/2009 Carreno D7/608
D646,554 S * 10/2011 Krohmer D8/354
D654,366 S * 2/2012 Presche D9/504
D655,562 S * 3/2012 Schenk D7/307
D671,403 S * 11/2012 Ronan D9/428
D697,400 S * 1/2014 Bragalone D9/416
D775,496 S * 1/2017 Szucs D7/629

(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/577,608**

(22) Filed: **Sep. 14, 2016**

Related U.S. Application Data

(63) Continuation of application No. 29/563,660, filed on May 6, 2016.

(51) **LOC (11) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/428; D9/737**

(58) **Field of Classification Search**
USPC D9/414-434, 442-445, 456, 457, 542, D9/563, 600, 614-624, 655, 657, 658, D9/661, 685, 695, 697-699, 707, 708, D9/711, 754, 759, 772-776; D3/273, D3/276, 304, 305, 307, 309-313; D7/601, 602, 709; D19/75, 90
CPC B65D 5/00; B65D 5/001; B65D 5/0015; B65D 5/0227-5/0254; B65D 5/18; B65D 5/38; B65D 5/40; B65D 5/6605; B65D 5/48024; B65D 1/22; B65D 1/24; B65D 1/34; B65B 5/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,736,264 A * 11/1929 Johnson B65D 1/10 215/6
4,834,253 A * 5/1989 Crine B65F 1/085 220/23.4

OTHER PUBLICATIONS

39 oz. Round Black. Online, published date unknown. Retrieved on Aug. 10, 2017 from URL: <https://www.foil-pans.com/39-oz-round-black-9-container-3-compartment-w-lid-combo-150-cs.html>.*

Primary Examiner — Vy N Koenig

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Steven E. Shapiro


(57) **CLAIM**

The ornamental design for a powder container, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left perspective view of a powder container;
FIG. 2 is a bottom, front perspective view of the powder container;
FIG. 3 is a front view of the powder container;
FIG. 4 is a rear view of the powder container;
FIG. 5 is a left side view of the powder container;
FIG. 6 is a right side view of the powder container;
FIG. 7 is a top view of the powder container; and,
FIG. 8 is a bottom view of the powder container.
The broken lines and unshaded areas present portions of the powder container that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0217010 A1* 8/2013 Suchocki B01F 9/0014
435/6.11
2013/0327765 A1* 12/2013 Hirota B65F 1/1426
220/23.88
2017/0015467 A1* 1/2017 Baer B65D 25/04

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8